




REV.	DESCRIPTION	REVISED BY	DATE
A	First release	Yang	9/5/2025

PAGE	1 / 28
------	--------

Item	P/N	Description	Qty
1	S.115.1089.2AT	ASSY VACUUM ANTIBACTERIAL WHITE TANK + PRINT	1
2	S.139.0091.1	TOP UNIT ASSEMBLY WITH FILTER	1
3	S.115.1079.0B	[MCH-211-016-103]ASSY FRESH WATER TANK + PRINT	1
4	S.139.0002.0	ASSY MAIN SUCTION HOSE 770MM	1
5	S.139.0041.0	ASSEMBLY METAL DECK L40	1
6	P.139.0341.0	EZ CLICK SQUEEGEE I-MOP 40 ASSY LINATEX	1
7	S.139.0092.797/797	ASSY L40 BRUSH	2

TOLERANCE UNSPECIFIED			REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS							
LINE	ANGLE												
.XXX=±0.005 .XX=±0.05 .X=±0.1 . =±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°		MATERIAL										
APPROVED		CHECKED	DESIGNED	REV.	-						PART NAME	KIT ASSY IMP40 PRO W/O I-POWER	
			Yang	UNIT	MM						PART NO.	K1.IMP40U.FCT.0	FRAME SIZE
SHEET	OF	DATE				2025/5/9	SCALE	1 : 10	DRAWING NO.		A4		

REV.

DESCRIPTION

REVISED BY

DATE

-

First release

Yang

9/5/25

PAGE

2 / 28

Item	P/N	Description	Qty
	S.139.0091.1	TOP UNIT ASSEMBLY WITH FILTER	
1	S.139.0718.357	PLASTIC HANDLE ASSEMBLY FOUR SWITCH	1
2	139.0091.0	ALU EXTRUDED PROFILE	1
3	115.1151.0D	FLOAT HOUSING RUBBER BASE	1
4	115.0039.3	PAN HEAD OD=7MM SELFTAPPING SCREW ST3X20	3
5	S.115.1153.8	FLOAT BALL HOUSING WITH STAINLESS STEEL MESH AS	1
6	115.0103.8D	[MCH 211-145] (105)TANK HOLDER FIXATION YELLOW	2
7	115.0194.0	(MCH 041-102) [101] CLOSED RIVET 4X10	12
8	115.0099.0	[MCH 053-105] (101) NEODYMIUM MAGNET BLOCK 40X20X10MM	2
9	115.0104.8C	[MCH 211-146] (104)TANK HOLDER COVER YE	2
10	S.115.0246.2	ASSY HOSE CONNECTOR HOLDER BOTTOM	1
11	115.0196.2	EVA WASHER 15x15x1.5MM	1
12	115.0102.8D	[MCH 211-144] (105)HOSE CONNECTOR HOLDER FIXATION YELLOW	1
13	115.0100.0	[MCH 053-106] (101) NEODYMIUM MAGNET BLOCK 15X15X8MM	1
14	139.0003.0	ALLUMINIUM TUBE SEALING SLEEVE	1
15	139.0005.0	ALUMINUM PROFILE RUBBER SEAL	1
16	139.0071.0	NEGATIVE WIRE	1
17	72.0764.0	CABLE CONCENTRATOR IMOPXL BOM	1
18	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	4
19	139.0016.357	HOLDER WATERPUMP	1
20	139.0015.0	KHPP260 PUMP 12V	1
21	139.0109.0	HOSE CLAMP STAINLESS STEEL Ø8 WIRE DIA.Ø1.0	4
22	R.106.2190.9	CUTTING L=0.065M SILICON TUBE 8X4.5MM	2
23	139.0011.357	water coupling	1
24	S.139.0310.357	VACUUM MOTOR ASSEMBLY L40 WITHOUT FILTER	1
25	139.0014.357	MAINFRAME	1
26	139.0013.797	BUTTON BLUE	1
27	139.0010.0	SPRING BUTTON	1
28	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	3
29	139.0012.357	DRIVE MODULE WATER COUPLING	1
30	139.0004.0	GROMMET WATER CONNECTOR	2
31	139.0009.357	HOLDER WATER CONNECTOR	1
32	139.0093.357	LID TURBINE HOUSING	1
33	115.0111.0D	[MCH 211-203] (105)WATER CONNECTOR MALE RUBBER	1
34	115.0120.0	[MCH 011-102] (101) EJOT PT SCREW WN 5451 40X14	4
35	139.0110.0	WATER CONNECTOR MALE PIN	1
36	139.0083.0	WATER PUMP WIRE	1
37	139.0001.0	AIR DUCT SEALING PLUG	1
38	S.115.0396.357	MAIN PCB BOX ASSEMBLY WITH LINK	1
39	S.139.0036.357	ASSY PHONE HOLDER&RUBBISH BIN	1
40	S.139.0105.0	CABLE ASSY IN ALUMINIUM TUBE FOR I-MOP L40	1
41	115.0196.1	EVA WASHER 40x20x1.5MM	2
42	115.0096.67	O-RING 6X3 FKM	1
43	139.0124.0	WASHER OD11.5XT4	1

TOLERANCE UNSPECIFIED

REMARK:

LINE

ANGLE

.XXX=±0.005

.XX=±0.05

.X=±0.1

.=±0.2

XX=±0.5

XXX=±1

X=±2°

.X=±1.5°

.XX=±1°

.XXX=±0.5°

MATERIAL

APPROVED

CHECKED

DESIGNED

REV.

PART NAME

KIT ASSY IMP40 PRO W/O I-POWER

Yang

UNIT

MM

PART NO.

K1.IMP40U.FCT.0

FRAME SIZE

A3

SHEET OF

DATE

2025/5/9

SCALE

1 : 6


DRAWING NO.

SMT-FCT DONGGUAN

THE FRIENDLY FAMILY

东莞硕能塑胶模具有限公司

ASSEMBLY AND MOULD OF CLEANING PRODUCTS




REV.	DESCRIPTION	REVISED BY	DATE
A	First release	Yang	9/5/2025

PAGE	4 / 28
------	--------

Item	P/N	Description	Qty
	S.139.0036.357	ASSY PHONE HOLDER&RUBBISH BIN	
1	139.0036.357	MOBILE PHONE HOLDER	1
2	139.0037.357	RUBBISH BIN	1

TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS															
LINE	ANGLE																		
.XXX=±0.005	X=±2°	MATERIAL									APPROVED		CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER	
.XX=±0.05	.X=±1.5°																		
.X=±0.1	.XX=±1°																		
.=±0.2	.XXX=±0.5°					Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE								
XX=±0.5																			
XXX=±1																			
SHEET	OF	DATE				2025/5/9	SCALE	1 : 2	DRAWING NO.			A4							




REV.	DESCRIPTION	REVISED BY	DATE
A	First release	Yang	9/5/2025

PAGE	5 / 28
------	--------

Item	P/N	Description	Qty
	S.115.1153.8	FLOAT BALL HOUSING WITH STAINLESS STEEL MESH ASS	
1	115.1154.8	BLOCKING BALL HOUSING GREY WITH STAINLESS STEEL MESH 100	1
2	115.0153.2	[MCH 053-108-101] WHITE HOLLOW BALL 38	1
3	115.1152.8	TOP UNIT BLOCKING BALL HOUSING COVE	1

TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS						
LINE	ANGLE									
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL								
APPROVED	CHECKED	DESIGNED	REV.							
			Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE		
SHEET OF	DATE			2025/5/9	SCALE	1 : 1	DRAWING NO.	A4		





REV.	DESCRIPTION	REVISED BY	DATE
A	First release	Yang	9/5/2025

PAGE	6 / 28
------	--------


Item	P/N	Description	Qty
	S.115.0246.2	ASSY HOSE CONNECTOR HOLDER BOTTOM	
1	115.1131.0B	HOSE CONNECTOR HOLDER SEA	1
2	115.0246.2	(MCH 211-312-101) HOSE CONNECTOR HOLD	1
3	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	6
4	115.0132.0B	[MCH 211-173] (103) HOSE CONNECTOR HOLDER PLATE	1
5	115.0247.2	(MCH 211-309-101) HOSE CONNECTOR HOLDER BOTTOM	1

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS							
LINE	ANGLE											
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL										
APPROVED	CHECKED	DESIGNED	REV.	-						PART NAME	KIT ASSY IMP40 PRO W/O I-POWER	
		Yang	UNIT	MM						PART NO.	K1.IMP40U.FCT.0	FRAME SIZE
SHEET OF	DATE			2025/5/9	SCALE	1 : 2	DRAWING NO.	A4				

6		5		4		3		2		1																																																					
REV.		DESCRIPTION				REVISED BY		DATE		PAGE																																																					
A		First release				Yang		9/5/2025		7 / 28																																																					
 <table><thead><tr><th>Item</th><th>P/N</th><th>Description</th><th>Qty</th></tr></thead><tbody><tr><td></td><td>S.139.1310.357</td><td>VACUUM MOTOR ASSEMBLY L40 WITH FILTER</td><td></td></tr><tr><td>1</td><td>139.0006.0</td><td>VACUUM MOTOR SEALING GASKET TOP WITH FILTER</td><td>1</td></tr><tr><td>2</td><td>139.0007.0</td><td>SEALING WITH CABLE RECEPTION</td><td>1</td></tr><tr><td>3</td><td>139.0310.0</td><td>BRUSHLESS MOTOR 13-30V DC 60W/80W/100W GLUE DIPPING 36/40</td><td>1</td></tr><tr><td>4</td><td>139.0106.0</td><td>TURBINE SEAL TOP i-MOP 40 WITH FILTER</td><td>1</td></tr><tr><td>5</td><td>139.0018.357</td><td>TURBINE HOLDER WITH FILTER</td><td>1</td></tr><tr><td>6</td><td>139.0108.0</td><td>CABLE SEAL TURBINE i-MOP 40 WITH FILTE</td><td>1</td></tr><tr><td>7</td><td>139.1126.357</td><td>MAIN COVER TURBINE HOUSING WITH FILTER</td><td>1</td></tr><tr><td>8</td><td>72.0641.797</td><td>HEPA FILTER BLUE H12 EN779-1993 OD73xT22</td><td>1</td></tr><tr><td>9</td><td>139.0019.8</td><td>FILTERHOLDER</td><td>1</td></tr><tr><td>10</td><td>139.0107.0</td><td>TURBINE SEAL BOTTOM i-MOP 40 WITH FILT</td><td>1</td></tr><tr><td>11</td><td>115.0011.0</td><td>(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10</td><td>4</td></tr></tbody></table>												Item	P/N	Description	Qty		S.139.1310.357	VACUUM MOTOR ASSEMBLY L40 WITH FILTER		1	139.0006.0	VACUUM MOTOR SEALING GASKET TOP WITH FILTER	1	2	139.0007.0	SEALING WITH CABLE RECEPTION	1	3	139.0310.0	BRUSHLESS MOTOR 13-30V DC 60W/80W/100W GLUE DIPPING 36/40	1	4	139.0106.0	TURBINE SEAL TOP i-MOP 40 WITH FILTER	1	5	139.0018.357	TURBINE HOLDER WITH FILTER	1	6	139.0108.0	CABLE SEAL TURBINE i-MOP 40 WITH FILTE	1	7	139.1126.357	MAIN COVER TURBINE HOUSING WITH FILTER	1	8	72.0641.797	HEPA FILTER BLUE H12 EN779-1993 OD73xT22	1	9	139.0019.8	FILTERHOLDER	1	10	139.0107.0	TURBINE SEAL BOTTOM i-MOP 40 WITH FILT	1	11	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	4
Item	P/N	Description	Qty																																																												
	S.139.1310.357	VACUUM MOTOR ASSEMBLY L40 WITH FILTER																																																													
1	139.0006.0	VACUUM MOTOR SEALING GASKET TOP WITH FILTER	1																																																												
2	139.0007.0	SEALING WITH CABLE RECEPTION	1																																																												
3	139.0310.0	BRUSHLESS MOTOR 13-30V DC 60W/80W/100W GLUE DIPPING 36/40	1																																																												
4	139.0106.0	TURBINE SEAL TOP i-MOP 40 WITH FILTER	1																																																												
5	139.0018.357	TURBINE HOLDER WITH FILTER	1																																																												
6	139.0108.0	CABLE SEAL TURBINE i-MOP 40 WITH FILTE	1																																																												
7	139.1126.357	MAIN COVER TURBINE HOUSING WITH FILTER	1																																																												
8	72.0641.797	HEPA FILTER BLUE H12 EN779-1993 OD73xT22	1																																																												
9	139.0019.8	FILTERHOLDER	1																																																												
10	139.0107.0	TURBINE SEAL BOTTOM i-MOP 40 WITH FILT	1																																																												
11	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	4																																																												
<table><thead><tr><th colspan="2">TOLERANCE UNSPECIFIED</th></tr><tr><th>LINE</th><th>ANGLE</th></tr></thead><tbody><tr><td>.XXX=±0.005</td><td>X=±2 °</td></tr><tr><td>.XX=±0.05</td><td>.X=±1.5 °</td></tr><tr><td>.X=±0.1</td><td>.XX=±1 °</td></tr><tr><td>.=±0.2</td><td>.XXX=±0.5 °</td></tr><tr><td>XX=±0.5</td><td></td></tr><tr><td>XXX=±1</td><td></td></tr></tbody></table> REMARK: <table><tr><td>MATERIAL</td><td></td></tr><tr><td>APPROVED</td><td>CHECKED</td><td>DESIGNED</td><td>REV.</td><td>-</td><td>PART NAME</td><td>KIT ASSY IMP40 PRO W/O I-POWER</td></tr><tr><td></td><td></td><td>Yang</td><td>UNIT</td><td>MM</td><td>PART NO.</td><td>K1.IMP40U.FCT.0</td></tr><tr><td>SHEET</td><td>OF</td><td>DATE</td><td>2025/5/9</td><td>SCALE</td><td>1 : 5</td><td>DRAWING NO.</td><td>FRAME SIZE</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>A4</td></tr></table> SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS 												TOLERANCE UNSPECIFIED		LINE	ANGLE	.XXX=±0.005	X=±2 °	.XX=±0.05	.X=±1.5 °	.X=±0.1	.XX=±1 °	.=±0.2	.XXX=±0.5 °	XX=±0.5		XXX=±1		MATERIAL		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER			Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	SHEET	OF	DATE	2025/5/9	SCALE	1 : 5	DRAWING NO.	FRAME SIZE								A4				
TOLERANCE UNSPECIFIED																																																															
LINE	ANGLE																																																														
.XXX=±0.005	X=±2 °																																																														
.XX=±0.05	.X=±1.5 °																																																														
.X=±0.1	.XX=±1 °																																																														
.=±0.2	.XXX=±0.5 °																																																														
XX=±0.5																																																															
XXX=±1																																																															
MATERIAL																																																															
APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER																																																									
		Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0																																																									
SHEET	OF	DATE	2025/5/9	SCALE	1 : 5	DRAWING NO.	FRAME SIZE																																																								
							A4																																																								
6		5		4		3		2		1																																																					



Item	P/N	Description	Qty
	S.115.0396.357	MAIN PCB BOX ASSEMBLY WITH LINK	
1	72.0240.2	HEXALOBULAR SOCKET COUNTERSUNK HEAD SELF TAPPING SCREW ST3X10	4
2	72.0491.0	TOOLSENSE Lipo BATTERY 3.7V, 1200 mAh WIRE LENGTH 20~21CM 2P 1.25	1
3	72.0490.0B	TOOLSENSE PCB (Version:5)	1
4	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	3
5	115.0403.996	ELECTRIC BOX LIGHT GUIDING BLOCK	1
6	115.0011.3	EJOT PT SCREW WN 5451 30X10 ANTI-THEFT	4
7	115.0398.357	MAIN PCB BOX COVER	1
8	115.0275.0	[MCH-011-105](101) EJOT PT SCREW WN 5451 25X6	5
9	115.0399.0	USB PORT PLUG	1
10	S.72.0619.0	USB CHARGING PCB CABLE ASSY OUTPUT DC5V	1
11	115.0397.357	MAIN PCB BOX TOOLSENSE TRAY	1
12	72.0711.1	MAIN PCB IMOP L36/40	1
13	115.0396.357	MAIN PCB BOX HOUSING	1
14	72.0769.0	WIRING HARNESS I-LINK&USB CHARGING FOR I-MOP L46	1
15	115.0318.0	USB phone charging cable 3 in 1	1
16	72.0492.0	TOOLSENSE ANTENNA WIRE LENGTH 10	1




TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS					
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 . =±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
APPROVED	CHECKED	DESIGNED	REV.						
			Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE	
SHEET OF	DATE			2025/5/9	SCALE	1 : 2	DRAWING NO.	A4	

SMT-FCT DONGGUAN
THE FRIENDLY FAMILY
东莞硕能塑胶模具有限公司

ASSEMBLY AND MOULD OF CLEANING PRODUCTS



APPROVED	CHECKED	DESIGNED	REV.	—	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER	
		Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE
		2025/5/9	SCALE	1 : 2	DRAWING NO.		A4

8		7		6		5	
REV.	DESCRIPTION				REVISED BY		DATE
-	First release				Yang		9/5/2025
-	Add 139.0128.0				Yang		16/5/2025



Item	P/N	Description	Qty
	S.139.0041.00	ASSEMBLY METAL DECK L40	
1	S.139.0020.357	ASSY JOINT PART L40 METAL DECK	1
2	S.139.0072.357	ASSEMBLY DRIVE SUPPORT METAL DECK L40	1
3	S.139.0032.0	ASSEMBLY TRANSPORT CASTOR METAL DECK L40	2
4	139.0054.0	CABLE " -" 16AWG BLACK RELAT PCB TO BATTERY 300MM	1
5	S.139.0000.1	ASSEMBLY DRIVE MOTOR RIGHT L40	1
6	139.0094.357	WATER OUTLET NOZZLE	2
7	139.0095.0	WATER NOZZLE INSERT	2
8	139.0088.0	MOTOR SWIVEL AXIS	2
9	139.0063.0	SPRING 0C0600-0491000S	2
10	139.0062.357	WATER PIPE T-COUPLING	1
11	139.0109.0	HOSE CLAMP STAINLESS STEEL Ø8 WIRE DIA.Ø1.0	5
12	R.106.2190.3	CUTTING L=0.18M SILICON TUBE 8X4.5MM	2
13	139.0057.8	MOTOR MOUNT OUTER	2
14	139.0055.357	BASE FRAME BOTTOM PART GREY	1
15	139.0046.996	LIGHT GUIDE BUMPER RIGHT	1
16	139.0049.2	BUMPER RIGHT	1
17	139.0069.0	SPLASH GUARD CARRIER RIGHT	1
18	139.0044.996	LIGHT GUIDE FRONT BUMPER	1
19	139.0047.2	FRONT BUMPER	1
20	139.0051.1	FRONT FOOT RIGHT	1
21	139.0050.2	BUMPER_FRONT_SUPPORT	1
22	139.0051.0	FRONT FOOT LEFT	1
23	139.0123.0	HEXALOBULAR SOCKET COUNTERSUNK HEAD SCREW M5X14 WITH THREADLOCKER	15
24	72.0450.0	SCREW WN 5451 5.0X18 EJOT DELTA	2
25	S.115.1161.0/1	FLOOR UNIT HANDLE ASSY EZ CLICK SQUEEGEE	1
26	139.0098.2	MOTOR UNIT SPLASH GUARD HOLDER	2
27	139.0097.0	MOTOR UNIT SPLASH GUARD	2
28	139.0068.0	SPLASH GUARD CARRIER LEFT	1
29	139.0045.996	LIGHT GUIDE BUMPER LEFT	1
30	139.0053.0	LED STRIP BUMPERCURVES	1
31	139.0048.2	BUMPER LEFT	1
32	139.0065.0	HOUSING RELAY LOWER PART	1
33	115.0120.0	[MCH 011-102] (101) EJOT PT SCREW WN 5451 40X14	8
34	139.0099.2	OUTER WHEEL	2
35	S.139.0028.357	ASSY SPRING CONTACT PCB L40	1
36	139.0067.0	SPRING 0T31130	1
37	115.0042.0A	[MCH 043-104] [102] COMPRESSION SPRING 7X9X45.5	2
38	139.0056.797	BATTERY CLIP BLUE	1
39	72.0765.0A	A RELAY PCB BOMA WITH LED SOCKET	1
40	139.0064.0	HOUSING RELAY UPPER PART	1
41	139.0089.0	MOTOR SWIVEL AXIS SHORT	2
42	139.0096.357	MOTOR MOUNT INNER	1
43	S.139.0000.0	ASSEMBLY DRIVE MOTOR LEFT L40	1
44	139.0087.8	CABLE STRAIN RELIEF	4
45	115.0275.0	[MCH-011-105](101) EJOT PT SCREW WN 5451 25X6	8
46	139.0043.2	CENTER CARRIER BASE FRAME	1
47	139.0054.1	CABLE " +" 16AWG RED RELAT PCB TO BATTERY 300MM	1
48	139.0041.00	ALUMINUM DECK	1
49	S.139.0060.8	ASSEMBLY MAGNETIC DECK COVER	1
50	115.0037.1	MCH-013-109-101 CYLINDER ROUND HEAD CAP SCREW M3 x 8 SUS304	4
51	S.139.0081.357	57 ASSEMBLY DRIVE SUPPORT L40	1
52	139.0128.0	EJOT PT SCREW WN 5451 4.0X12 STAINLESS STEEL	2

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS			
LINE	ANGLE							
XXX=±0.005 XX=±0.05 X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° X=±1.5° XX=±1° XXX=±0.5°	MATERIAL						
APPROVED	CHECKED	DESIGNED	REV.					
		Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE	
SHEET OF	DATE	2025/5/9	SCALE	1 : 7	DRAWING NO.		A3	



Item	P/N	Description	Qty
	S.139.0020.357	ASSY JOINT PART L40 METAL DECK	
1	139.0021.357	SPACER CONTACTS	1
2	139.0022.0	PCB JOINT	1
3	S.139.0090.0	CABLE IN HINGE L40	1
4	139.0020.357	JOINT UPPER PART	1
5	139.0026.357	STRAIN RELIEF JOINT UPPER PART	1
6	115.0184.0	[MCH 011-103-101] EJOT PT SCREW WN 5452	2
7	139.0025.357	COVER JOINT UPPER PART	1
8	72.0240.2	HEXALOBULAR SOCKET COUNTERSUNK HEAD SELFTAPPING SCREW ST3X10	3
9	115.0186.0	[MCH 211-031-101] CIRCLIP EXTERNAL 10.0 STAINLESS STEEL	1
10	S.139.0052.357	57ASSY JOINT LOWER PART L40 METAL DECK	1
11	139.0008.0	TOP UNIT ADAPTOR SEALING PLUG	1
12	139.0024.357	PLUG-IN VALVE	1
13	139.0109.0	HOSE CLAMP STAINLESS STEEL Ø8 WIRE DIA.Ø1.0	1
14	139.0027.0	TOP AXIS JOINT	1
15	R.106.2190.8	CUTTING L=0.3M SILICON TUBE 8X4.5MM	1
16	115.0461.0	TENSION SPRING ID8.4xOD10MM L=230MM	1

TOLERANCE UNSPECIFIED

LINE	ANGLE
.XXX=±0.005	X=±2°
.XX=±0.05	.X=±1.5°
.X=±0.1	.XX=±1°
.=±0.2	.XXX=±0.5°
XX=±0.5	
XXX=±1	


REMARK:

SMT-FCT DONGGUAN
THE FRIENDLY FAMILY

东莞硕能塑胶模具有限公司

ASSEMBLY AND MOULD OF CLEANING PRODUCTS

APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER	
		Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE
SHEET	OF	DATE	2025/5/9	SCALE	1 : 2	DRAWING NO.	A4




REV.	DESCRIPTION	REVISED BY	DATE
A	First release	Yang	9/5/2025

PAGE	11 / 28
------	---------

Item	P/N	Description	Qty
	S.139.0052.357	ASSY JOINT LOWER PART L40 METAL DECK	
1	139.0031.357	RIGHT_COVER_JOINT	1
2	139.0033.0	SHOULDER BOLT ALUMINUMDECK	2
3	115.0053.0A	(MCH 211-210] [102] MAIN HINGE BEARING BUS	2
4	139.0052.357	joint lower part	1
5	139.0028.0	PLASTIC BEARING HINGE L40	1
6	139.0030.357	LEFT_COVER_JOINT	1
7	72.0266.0	GLUE 518	1
8	72.0108.1	LOCTITE 648 RETAINING COMPOUND (HIGH STRENGTH) 50ml	1

TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS												
LINE	ANGLE										MATERIAL					
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	APPROVED	CHECKED								DESIGNED	REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER	
											Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE
SHEET	OF	DATE			2025/5/9	SCALE	1 : 2	DRAWING NO.		A4						




REV.	DESCRIPTION	REVISED BY	DATE
A	First release	Yang	9/5/2025

PAGE	12 / 28
------	---------

Item	P/N	Description	Qty
	S.139.0072.357	ASSEMBLY DRIVE SUPPORT METAL DECK L40	
1	139.0072.357	COUPLING ROD ALUMINUMDECK P431C	1
2	139.0075.0	SPRING 0T32670	2
3	00.0106.4	WASHER 6.5X12X1.5MM STAINLESS STEEL	1
4	72.0394.0	IMOP PEDESTAL SHAFT PIN	1
5	139.0076.0	Misumi_HCCG6_46	1
6	139.0073.0	AXIS CUSHIONING 2	1
7	139.0074.0	AXIS CUSHIONING 2	1


TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS						
LINE	ANGLE									
.XXX=±0.005 .XX=±0.05 .X=±0.1 . =±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL								
APPROVED	CHECKED	DESIGNED	REV.							
			Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE		
SHEET OF	DATE			2025/5/9	SCALE	1 : 2	DRAWING NO.	A4		



REV.	DESCRIPTION	REVISED BY	DATE	PAGE	13 / 28
A	First release	Yang	9/5/2025		

Item	P/N	Description	Qty
	S.139.0081.357	ASSEMBLY DRIVE SUPPORT L40	
1	139.0078.797	COVER SLIDE LEVER BLUE P312C	1
2	72.0053.0	MAGNET TOP UNIT SMALL 20X20X10MM [MCH 1416-1001-2172]	1
3	139.0077.357	SLIDE LEVER P431C	1
4	139.0118.0	HEXALOBULAR SOCKET COUNTERSUNK HEAD TAPPING SCREW ST3.5X10	3
5	139.0080.0	SPRING 0C0455-0391250M	1
6	139.0081.357	SLIDE LEVER HOUSING P431C	1
7	139.0119.0	HEXALOBULAR SOCKET COUNTERSUNK HEAD SCREW M5X45	1
8	139.0082.797	SUPPORT LIFT BUTTON COVER BLUE P312C	1
9	139.0084.0	spring 0C0210-0260500M	1
10	72.0240.2	HEXALOBULAR SOCKET COUNTERSUNK HEAD SELF TAPPING SCREW ST3X10	2
11	139.0085.0	SUPPORT LEVER PLATE	1
12	139.0121.0	KNURLED PIN DRIVE SUPPORT Ø3x43MM	1
13	115.0196.2	EVA WASHER 15x15x1.5MM	1


TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS								
LINE	ANGLE											
.XXX=±0.005 .XX=±0.05 .X=±0.1 . =±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL										
APPROVED		CHECKED	DESIGNED								REV.	-
			Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE				
SHEET	OF	DATE			2025/5/9	SCALE	1 : 2	DRAWING NO.		A4		



REV.	DESCRIPTION	REVISED BY	DATE	PAGE	14 / 28
A	First release	Yang	9/5/2025		

Item	P/N	Description	Qty
	S.139.0000.1	ASSEMBLY DRIVE MOTOR RIGHT L40	
1	139.0038.0	MOTOR COVER UPPER PART	1
2	139.0040.0	MOTOR RUBBER COVER TOP PART	1
3	139.0000.1	DRIVE MOTOR RIGHT	1
4	72.0004.0	FELT BRUSH MOTOR WITH 3M9448 [MCH 1416-1001-2183]	1
5	72.0005.357/C	DRIVING WHEEL TOP WITH TREAT INSERT (C)	1
6	139.0042.0	MOTOR RUBBER COVER BOTTOM PART	1
7	139.0039.0	MOTOR COVER LOWER PART	1
8	S.72.0637.357	CLICK-IN BRUSH DRIVING WHEEL ASSY RIGHT	1
9	72.0450.0	SCREW WN 5451 5.0X18 EJOT DELTA P	3
10	72.1025.1	HEX HEAD OSD=13 BOLT M5X13 STAINLESS STEEL LEFTHANDTHREAD	1
11	139.0120.0	EJOT PT SCREW WN 5451 4.0X8	5

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS									
LINE	ANGLE									MATERIAL				
.XXX=±0.005	X=±2°	APPROVED	CHECKED	DESIGNED						REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER	
.XX=±0.05	.X=±1.5°											PART NO.	K1.IMP40U.FCT.0	
.X=±0.1	.XX=±1°													
.=±0.2	.XXX=±0.5°													
XX=±0.5				Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE					
XXX=±1														
SHEET	OF	DATE			2025/5/9	SCALE	2 : 1	DRAWING NO.		A4				





REV.	DESCRIPTION	REVISED BY	DATE
A	First release	Yang	9/5/2025

PAGE	15 / 28
------	---------

Item	P/N	Description	Qty
	S.72.0637.357	CLICK-IN BRUSH DRIVING WHEEL ASSY RIGHT	
1	72.0638.797	CLICK-IN BRUSH DRIVING WHEEL COVER BLUE P312C	1
2	115.0329.357	SLIDER HOUSING BRUSH LOCKER	3
3	115.0331.0	COMPRESSION SPRING OD3.7 x ID2.7 x L12	3
4	115.0330.357	BULB-ENDED SLIDER BRUSH LOCKER	3
5	72.0637.357	CLICK-IN BRUSH DRIVING WHEEL RIGHT GREY P431C	1




TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS								
LINE	ANGLE											
.XXX=±0.005 .XX=±0.05 .X=±0.1 . =±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL										
APPROVED	CHECKED	DESIGNED	REV.								-	PART NAME
			Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE				
SHEET OF	DATE			2025/5/9	SCALE	2 : 1	DRAWING NO.	A4				






6	5	4	3	2	1
REV.	DESCRIPTION		REVISED BY	DATE	
A	First release		Yang	9/5/2025	
-	Removed 139.0122.0 .Changed 120.0221.0		Yang	19/5/2025	

PAGE	19 / 28
------	---------



Item	P/N	Desciption	Qty
	S.139.0032.0	ASSEMBLY TRANSPORT CASTOR METAL DECK	
1			1
2	139.0032.0	FRONT WHEEL AXIS ALUMINUM DECK	1

TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS						
LINE	ANGLE			MATERIAL						
.XXX=±0.005 .XX=±0.05 .X=±0.1 . =±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER		
				Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE	
SHEET OF	DATE			2025/5/9	SCALE	1 : 1	DRAWING NO.	A4		






REV.	DESCRIPTION	REVISED BY	DATE
A	First release	Yang	9/5/2025

PAGE	20 / 28
------	---------

Item	P/N	Description	Qty.
	S.115.1161.0/1	FLOOR UNIT HANDLE ASSY EZ CLICK SQUEEGEE	
1	115.0184.1	EJOT PT SCREW WN 5452 30X25	2
2	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30	4
3	115.0044.0B	(MCH 211-275) [103] SQUEEGEE FIXATION PIN	2
4	115.0012.1	CYLINDER ROUND CAP TORX SCREW M5X20 STAINLESS STEEL	2
5	115.1160.0	FLOOR UNIT HANDLE GRIP TOP BLACK\	1
6	04.0048.0	NUT M5 NYLON STAINLESS	2
7	115.1161.0	FLOOR UNIT HANDLE GRIP BOTTOM BL	1
8	115.0376.0	LIFTING HANDLE BAFFLE BLACK	1
9	115.0178.0A	(013-116) [101] SOCKET HEAD CAP SCREW TORX M5 x 65	2
10	00.0091.0	WASHER STAINLESS M5 5.1X12X1.0	2

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS									
LINE	ANGLE									MATERIAL				
.XXX=±0.005 .XX=±0.05 .X=±0.1 . =±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	APPROVED	CHECKED	DESIGNED						REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER	
				Yang						UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE
SHEET OF	DATE			2025/5/9						SCALE	1 : 2	DRAWING NO.		A4


6	5	4	3	2	1																																																																																																																																	
REV. A		DESCRIPTION		REVISED BY		DATE		PAGE		21 / 28																																																																																																																												
First release		Yang		9/5/2025																																																																																																																																		
1 5 2 3 4  																																																																																																																																						
<table><tr><th>Item</th><th>P/N</th><th>Description</th><th>Qty</th></tr><tr><td></td><td>S.139.0060.8</td><td>ASSEMBLY MAGGETIC DECK COVER</td><td></td></tr><tr><td>1</td><td>139.0058.0</td><td>MAGNET FRAME COVER</td><td>1</td></tr><tr><td>2</td><td>139.0059.8</td><td>MAGNET TOP COVER YELLOW</td><td>1</td></tr><tr><td>3</td><td>139.0061.0</td><td>MAGNET PARKING POSITION</td><td>1</td></tr><tr><td>4</td><td>139.0060.8</td><td>MAGNET BOTTOM COVER YELLO</td><td>1</td></tr><tr><td>5</td><td>115.0011.0</td><td>(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10</td><td>2</td></tr></table>												Item	P/N	Description	Qty		S.139.0060.8	ASSEMBLY MAGGETIC DECK COVER		1	139.0058.0	MAGNET FRAME COVER	1	2	139.0059.8	MAGNET TOP COVER YELLOW	1	3	139.0061.0	MAGNET PARKING POSITION	1	4	139.0060.8	MAGNET BOTTOM COVER YELLO	1	5	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	2																																																																																															
Item	P/N	Description	Qty																																																																																																																																			
	S.139.0060.8	ASSEMBLY MAGGETIC DECK COVER																																																																																																																																				
1	139.0058.0	MAGNET FRAME COVER	1																																																																																																																																			
2	139.0059.8	MAGNET TOP COVER YELLOW	1																																																																																																																																			
3	139.0061.0	MAGNET PARKING POSITION	1																																																																																																																																			
4	139.0060.8	MAGNET BOTTOM COVER YELLO	1																																																																																																																																			
5	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	2																																																																																																																																			
<table><tr><td colspan="2">TOLERANCE UNSPECIFIED</td><td colspan="2">REMARK:</td><td colspan="8"> SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS </td></tr><tr><td>LINE</td><td>ANGLE</td><td colspan="2"></td><td colspan="2">MATERIAL</td><td colspan="6"></td></tr><tr><td>.XXX=±0.005</td><td>X=±2°</td><td colspan="2"></td><td colspan="2"></td><td>APPROVED</td><td>CHECKED</td><td>DESIGNED</td><td>REV.</td><td>-</td><td>PART NAME</td><td>KIT ASSY IMP40 PRO W/O I-POWER</td><td></td></tr><tr><td>.XX=±0.05</td><td>.X=±1.5°</td><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td>Yang</td><td>UNIT</td><td>MM</td><td>PART NO.</td><td>K1.IMP40U.FCT.0</td><td>FRAME SIZE</td></tr><tr><td>.X=±0.1</td><td>.XX=±1°</td><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>.=±0.2</td><td>.XXX=±0.5°</td><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>XX=±0.5</td><td></td><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>XXX=±1</td><td></td><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2">SHEET OF</td><td colspan="2">DATE</td><td colspan="2"></td><td colspan="2">2025/5/9</td><td colspan="2">SCALE</td><td colspan="2">1 : 2</td><td colspan="2">DRAWING NO.</td><td>A4</td></tr></table>												TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS								LINE	ANGLE			MATERIAL								.XXX=±0.005	X=±2°					APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER		.XX=±0.05	.X=±1.5°							Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE	.X=±0.1	.XX=±1°													.=±0.2	.XXX=±0.5°													XX=±0.5														XXX=±1														SHEET OF		DATE				2025/5/9		SCALE		1 : 2		DRAWING NO.		A4
TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS																																																																																																																																		
LINE	ANGLE			MATERIAL																																																																																																																																		
.XXX=±0.005	X=±2°					APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER																																																																																																																										
.XX=±0.05	.X=±1.5°							Yang	UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE																																																																																																																									
.X=±0.1	.XX=±1°																																																																																																																																					
.=±0.2	.XXX=±0.5°																																																																																																																																					
XX=±0.5																																																																																																																																						
XXX=±1																																																																																																																																						
SHEET OF		DATE				2025/5/9		SCALE		1 : 2		DRAWING NO.		A4																																																																																																																								
6	5	4	3	2	1																																																																																																																																	



REV.	DESCRIPTION	REVISED BY	DATE	PAGE	22 / 28
A		Yang	9/5/2025		

Item	P/N	Description	Qty
	S.139.0028.357	ASSY SPRING CONTACT PCB L40	
1	115.0029.357B	(MCH 211-217 [103] SPRING CONTACT FRAME GREY P431C (3.8X2.5X0.3CM)	1
2	S.139.0104.0	ASSY SPRING CONTACT PCB L40	1
3	115.0028.357C	(MCH 211-216 [104] SPRING CONTACT HOUSING GREY P431C	1
4	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 3	1

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS				
LINE	ANGLE	MATERIAL			REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER	
.XXX=±0.005	X=±2°				APPROVED	CHECKED	DESIGNED	Yang	UNIT
.XX=±0.05	.X=±1.5°								MM
.X=±0.1	.XX=±1°								PART NO.
.=±0.2	.XXX=±0.5°								K1.IMP40U.FCT.0
XX=±0.5									FRAME SIZE
XXX=±1									A4
SHEET	OF	DATE			2025/5/9	SCALE	1 : 1	DRAWING NO.	




REV.	DESCRIPTION	REVISED BY	DATE
A	First release	Yang	9/5/2025

PAGE	23 / 28
------	---------


Item	P/N	Desciption	Qty
	S.139.0002.0	ASSY MAIN SUCTION HOSE 770MM	
1	115.2059.0	MAIN SUCTION HOSE 770MM	1
2	S.139.0002.0	SUCTION HOSE ADAPTOR i-MOP 40	1

TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS						
LINE	ANGLE			MATERIAL						
.XXX=±0.005	X=±2°	APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER		
.XX=±0.05	.X=±1.5°				UNIT	MM	PART NO.	K1.IMP40U.FCT.0		FRAME SIZE
.X=±0.1	.XX=±1°			Yang						
.=±0.2	.XXX=±0.5°									
XX=±0.5										
XXX=±1										
SHEET	OF	DATE			2025/5/9	SCALE	1 : 5	DRAWING NO.	A4	




Item	P/N	Description	Qty.
	S.115.1089.2AT	ASSY VACUUM ANTIBACTERIAL WHITE TANK + PRINT	
1	115.1089.2AT	VACUUM TANK ANTIBACTERIAL WHITE	1
2	115.0080.0C	[MCH 211-190] (104) TANK HOLDER PLATE	1
3	115.0194.0	(MCH 041-102) [101] CLOSED RIVET 4X10	2
4	72.0271.0	PLASTIC WASHER 9x4x1mm	1
5	72.0265.0	SEALING GASKET CAP DIRTY TANK	1
6	72.0264.357	CAP WITHOUT HOLE Color: Grey [P431C]	1
7	89.0469.2099.25A	WARNING PLATE ON DIRTY TANK ROUND STAINLESS PLATE	1
8	72.0252.1	CAP HOLDER	1
9	72.0254.0	SLEEVE CAP HOLDER	1
10	54.0029.0	BLIND REVIT NAIL 4 X 15 MM	1

TOLERANCE UNSPECIFIED			REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS									
LINE	ANGLE										MATERIAL				
.XXX=±0.005 .XX=±0.05 .X=±0.1 .±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° XX=±1° .XXX=±0.5°		APPROVED	CHECKED	DESIGNED								REV.		PART NAME
					Yang						UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE
SHEET OF		DATE			2025/5/9						SCALE		DRAWING NO.		A3



Item	P/N	Description	Qty.
	S.115.1079.0B	[MCH-211-016-103]ASSY FRESH WATER TANK + PRINT	
1	S.115.1083.357A	ASSY WATER CONNECTOR FEMALE FILTE	1
2	115.1079.0L	FRESH WATER TANK + PRINT	1
3	115.0080.0C	(104) TANK HOLDER PLATE	1
4	115.0194.0	CLOSED RIVET 4X10	2
5	72.0251.797	CAP WITH HOLE, Kleur: Blue .797 (P312C)	1
6	72.0252.1	CAP HOLDER CANVAS FILLED RUBBER	1
7	72.0254.1	SLEEVE CAP HOLDER CLEAN TANK	1

TOLERANCE UNSPECIFIED			REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS								
LINE	ANGLE													
.XXX=±0.005 .XX=±0.05 .X=±0.1 .±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° XX=±1° .XXX=±0.5°		MATERIAL											
APPROVED		CHECKED	DESIGNED	REV.							PART NAME	KIT ASSY IMP40 PRO W/O I-POWER		
			Yang	UNIT	MM						PART NO.	K1.IMP40U.FCT.0		FRAME SIZE
SHEET OF		DATE		2025/5/9	SCALE		DRAWING NO.			A3				



REV.	DESCRIPTION	REVISED BY	DATE	PAGE	26/ 28
A		Yang	13/5/2025		

Item	P/N	Description	Qty.
	S.115.1083.357A	[MCH-211-017-102]ASSY WATER CONNECTOR FEMALE FILTE	
1	S.115.0086.2D	WATER CONNECTOR FEMALE CAP WHIT	1
2	115.1088.0C	WATER CONNECTOR FEMALE RUBBE	1
3	115.0210.67	O-RING 7X2.5 FKM	1
4	115.0087.0B	WATER CONNECTOR FEMALE VALVE	2
5	115.0085.0	COMPRESSION SPRING 7X9X28.5	1
6	115.0083.357D	[MCH 211-028] (105) WATER CONNECTOR FEMALE FILTER	1

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS									
LINE	ANGLE									MATERIAL				
.XXX=±0.005 .XX=±0.05 .X=±0.1 . =±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	APPROVED	CHECKED	DESIGNED						REV.	-	PART NAME	KIT ASSY IMP40 PRO W/O I-POWER	
				Yang						UNIT	MM	PART NO.	K1.IMP40U.FCT.0	FRAME SIZE
SHEET OF	DATE			2025/5/13						SCALE	2 : 1	DRAWING NO.		A4

