






REV.	DESCRIPTION	REVISED BY	DATE	PAGE	1 / 27
A		Yang	29/5/2025		

Item	P/N	Description	Qty
1	S.115.0031.357	ASSY TRANSPORT WHEEL PILLAR RIGHT	1
2	S.115.1089.2AT	ASSY VACUUM ANTIBACTERIAL WHITE TANK + PRINT	1
3	S.139.0091.0/FCT	FCT • TOP UNIT ASSEMBLY WITHOUT FILTER FCT	1
4	S.115.1079.0B	[MCH-211-016-103]ASSY FRESH WATER TANK + PRINT	1
5	S.115.2059.0	ASSY MAIN SUCTION HOSE	1
6	S.115.3041.357	ASSY DECK L36	1
7	S.115.0030.357	ASSY TRANSPORT WHEEL PILLAR LEFT	1
8	S.115.0160.0	FLOOR UNIT HANDLE GRIP [MCH 211-050](101)	1
9	S.115.0062.2A	ASSY SQUEEGEE MAIN HOUSING TENNANT	1
10	S.115.1054.797/797B	ASSY BRUSH BLUE BRISTLE BLUE LOCKER	2

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS									
LINE	ANGLE									MATERIAL				
.XXX=±0.005 .XX=±0.05 .X=±0.1 .±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	APPROVED	CHECKED	DESIGNED						REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER	
				Yang						UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE
SHEET OF	DATE			2025/5/29	SCALE	1 : 10	DRAWING NO.		A4					


6		5		4		3		2		1																																																																					
REV. A		DESCRIPTION				REVISED BY Yang		DATE 29/5/2025		PAGE 3 / 27																																																																					
 <table><tr><th>Item</th><th>P/N</th><th>Description</th><th>Qty</th></tr><tr><td></td><td>S.139.1718.357</td><td>PLASTIC HANDLE ASSEMBLY FOUR SWITCH (ONE SPEED)</td><td></td></tr><tr><td>1</td><td>139.0718.357</td><td>HANDLE LOWER PART</td><td>1</td></tr><tr><td>2</td><td>115.0011.0</td><td>(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10</td><td>4</td></tr><tr><td>3</td><td>119.0096.0A</td><td>SPRING 19.2X5.7X0.5MM</td><td>2</td></tr><tr><td>4</td><td>S.72.0722.0</td><td>ASSY POWER SWITCH CONTROL UNIT</td><td>1</td></tr><tr><td>5</td><td>115.0184.0</td><td>[MCH 011-103-101] EJOT PT SCREW WN 5452 30X16</td><td>2</td></tr><tr><td>6</td><td>139.0716.797</td><td>OPERATING LEVER</td><td>2</td></tr><tr><td>7</td><td>115.0194.0</td><td>(MCH 041-102) [101] CLOSED RIVET 4X10</td><td>6</td></tr><tr><td>8</td><td>139.0726.357</td><td>HANDLE COVER</td><td>1</td></tr><tr><td>9</td><td>115.1138.0B</td><td>[MCH 211-164] (103) CONTROL UNIT KEY PAD</td><td>1</td></tr><tr><td>10</td><td>115.0134.2B</td><td>[MCH 211-140] (103) CONTROL UNIT KEY PAD FRAME WHITE</td><td>1</td></tr><tr><td>11</td><td>139.0034.0</td><td>LIGHT GUIDE HANDLE</td><td>1</td></tr><tr><td>12</td><td>139.0035.0</td><td>LED HANDLE</td><td>1</td></tr><tr><td>13</td><td>139.0714.357</td><td>HANDLE UPPER PART</td><td>1</td></tr><tr><td>14</td><td>139.1715.0</td><td>PCB HANDLE FOUR SWITCH (ONE SPEED)</td><td>1</td></tr><tr><td>15</td><td>72.0723.0</td><td>I-MOP L46 COMMUNICATION CABLE 4P 2.0 WITH LOCK L=200MM</td><td>1</td></tr></table>												Item	P/N	Description	Qty		S.139.1718.357	PLASTIC HANDLE ASSEMBLY FOUR SWITCH (ONE SPEED)		1	139.0718.357	HANDLE LOWER PART	1	2	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	4	3	119.0096.0A	SPRING 19.2X5.7X0.5MM	2	4	S.72.0722.0	ASSY POWER SWITCH CONTROL UNIT	1	5	115.0184.0	[MCH 011-103-101] EJOT PT SCREW WN 5452 30X16	2	6	139.0716.797	OPERATING LEVER	2	7	115.0194.0	(MCH 041-102) [101] CLOSED RIVET 4X10	6	8	139.0726.357	HANDLE COVER	1	9	115.1138.0B	[MCH 211-164] (103) CONTROL UNIT KEY PAD	1	10	115.0134.2B	[MCH 211-140] (103) CONTROL UNIT KEY PAD FRAME WHITE	1	11	139.0034.0	LIGHT GUIDE HANDLE	1	12	139.0035.0	LED HANDLE	1	13	139.0714.357	HANDLE UPPER PART	1	14	139.1715.0	PCB HANDLE FOUR SWITCH (ONE SPEED)	1	15	72.0723.0	I-MOP L46 COMMUNICATION CABLE 4P 2.0 WITH LOCK L=200MM	1
Item	P/N	Description	Qty																																																																												
	S.139.1718.357	PLASTIC HANDLE ASSEMBLY FOUR SWITCH (ONE SPEED)																																																																													
1	139.0718.357	HANDLE LOWER PART	1																																																																												
2	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	4																																																																												
3	119.0096.0A	SPRING 19.2X5.7X0.5MM	2																																																																												
4	S.72.0722.0	ASSY POWER SWITCH CONTROL UNIT	1																																																																												
5	115.0184.0	[MCH 011-103-101] EJOT PT SCREW WN 5452 30X16	2																																																																												
6	139.0716.797	OPERATING LEVER	2																																																																												
7	115.0194.0	(MCH 041-102) [101] CLOSED RIVET 4X10	6																																																																												
8	139.0726.357	HANDLE COVER	1																																																																												
9	115.1138.0B	[MCH 211-164] (103) CONTROL UNIT KEY PAD	1																																																																												
10	115.0134.2B	[MCH 211-140] (103) CONTROL UNIT KEY PAD FRAME WHITE	1																																																																												
11	139.0034.0	LIGHT GUIDE HANDLE	1																																																																												
12	139.0035.0	LED HANDLE	1																																																																												
13	139.0714.357	HANDLE UPPER PART	1																																																																												
14	139.1715.0	PCB HANDLE FOUR SWITCH (ONE SPEED)	1																																																																												
15	72.0723.0	I-MOP L46 COMMUNICATION CABLE 4P 2.0 WITH LOCK L=200MM	1																																																																												
TOLERANCE UNSPECIFIED <table><tr><th>LINE</th><th>ANGLE</th></tr><tr><td>.XXX=±0.005</td><td>X=±2°</td></tr><tr><td>.XX=±0.05</td><td>.X=±1.5°</td></tr><tr><td>.X=±0.1</td><td>.XX=±1°</td></tr><tr><td>.=±0.2</td><td>.XXX=±0.5°</td></tr><tr><td>XX=±0.5</td><td></td></tr><tr><td>XXX=±1</td><td></td></tr></table>				LINE	ANGLE	.XXX=±0.005	X=±2°	.XX=±0.05	.X=±1.5°	.X=±0.1	.XX=±1°	.=±0.2	.XXX=±0.5°	XX=±0.5		XXX=±1		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS																																																											
LINE	ANGLE																																																																														
.XXX=±0.005	X=±2°																																																																														
.XX=±0.05	.X=±1.5°																																																																														
.X=±0.1	.XX=±1°																																																																														
.=±0.2	.XXX=±0.5°																																																																														
XX=±0.5																																																																															
XXX=±1																																																																															
		MATERIAL				REV.		-	PART NAME		KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER																																																																				
		APPROVED		CHECKED	DESIGNED	UNIT		MM	PART NO.		K1.IMP36N.FCT.0																																																																				
SHEET OF		DATE		2025/5/29		SCALE		1 : 3	DRAWING NO.																																																																						
											A4																																																																				



REV.	DESCRIPTION	REVISED BY	DATE	PAGE	4 / 27
A		Yang	29/5/2025		


Item	P/N	Description	Qty
	S.139.1718.357	PLASTIC HANDLE ASSEMBLY FOUR SWITCH (ONE SPEED)	
1	139.0036.357	MOBILE PHONE HOLDER	1
2	139.0037.357	RUBBISH BIN	1

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS									
LINE	ANGLE									MATERIAL				
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	APPROVED	CHECKED	DESIGNED						REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER	
				Yang						UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE
SHEET OF	DATE			2025/5/29						SCALE	2 : 1	DRAWING NO.		A4



Item	P/N	Description	Qty
	S.115.1396.357	MAIN PCB BOX ASSEMBLY WITHOUT LINK	
1	72.0240.2	HEXALOBULAR SOCKET COUNTERSUNK HEAD SELF TAPPING SCREW ST3X10	4
2	72.0769.0	WIRING HARNESS I-LINK&USB CHARGING FOR I-MOP L46	1
3	115.0318.0	USB phone charging cable 3 in 1	1
4	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	3
5	115.0403.996	ELECTRIC BOX LIGHT GUIDING BLOCK	1
6	115.0011.3	EJOT PT SCREW WN 5451 30X10 ANTI-THEFT	4
7	115.0398.357	MAIN PCB BOX COVER	1
8	115.0275.0	[MCH-011-105](101) EJOT PT SCREW WN 5451 25X6	5
9	115.0399.0	USB PORT PLUG	1
10	S.72.0619.0	USB CHARGING PCB CABLE ASSY OUTPUT DC5V	1
11	115.0397.357	MAIN PCB BOX TOOLSENSE TRAY	1
12	72.0711.1	MAIN PCB IMOP L36/40	1
13	115.0396.357	MAIN PCB BOX HOUSING	1



TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS											
LINE	ANGLE	MATERIAL													
.XXX=±0.005	X=±2°	APPROVED	CHECKED							DESIGNED	REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEM W/O I-POWER	
.XX=±0.05	.X=±1.5°									Yang	UNIT	MM	PART NO.	K1.IMP36N.FCT.0	
.X=±0.1	.XX=±1°								FRAME SIZE						
.=±0.2	.XXX=±0.5°														
XX=±0.5															
XXX=±1															
SHEET OF		DATE		2025/5/29		SCALE	1 : 2		DRAWING NO.	A4					




REV.	DESCRIPTION	REVISED BY	DATE	PAGE	6 / 27
A		Yang	29/5/2025		

Item	P/N	Description	Qty
	S.115.0246.2	ASSY HOSE CONNECTOR HOLDER BOTTOM	
1	115.1131.0B	HOSE CONNECTOR HOLDER SEAL	1
2	115.0246.2	(MCH 211-312-101) HOSE CONNECTOR HOLD	1
3	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	6
4	115.0132.0B	[MCH 211-173] (103) HOSE CONNECTOR HOLDER PLATE	1
5	115.0247.2	(MCH 211-309-101) HOSE CONNECTOR HOLDER BOTTOM	1

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS									
LINE	ANGLE									MATERIAL				
.XXX=±0.005	X=±2 °	APPROVED	CHECKED	DESIGNED						REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER	
.XX=±0.05	.X=±1.5 °									UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE
.X=±0.1	.XX=±1 °			Yang										
.=±0.2	.XXX=±0.5 °				SCALE	1 : 2	DRAWING NO.		A4					
XX=±0.5														
XXX=±1														
SHEET OF	DATE			2025/5/29										


6	5	4	3	2	1																																																																
REV. A	DESCRIPTION		REVISED BY Yang	DATE 29/5/2025	PAGE 7 / 27																																																																
1 2 3  																																																																					
<table><tr><td>Item</td><td>P/N</td><td>Description</td><td>Qty</td></tr><tr><td></td><td>S.115.1153.8</td><td>FLOAT BALL HOUSING WITH STAINLESS STEEL MESH ASSY</td><td></td></tr><tr><td>1</td><td>115.1154.8</td><td>BLOCKING BALL HOUSING GREY WITH STAINLESS STEEL MESH 100</td><td>1</td></tr><tr><td>2</td><td>115.0153.2</td><td>[MCH 053-108-101] WHITE HOLLOW BALL 38</td><td>1</td></tr><tr><td>3</td><td>115.1152.8</td><td>TOP UNIT BLOCKING BALL HOUSING COVER</td><td>1</td></tr></table>						Item	P/N	Description	Qty		S.115.1153.8	FLOAT BALL HOUSING WITH STAINLESS STEEL MESH ASSY		1	115.1154.8	BLOCKING BALL HOUSING GREY WITH STAINLESS STEEL MESH 100	1	2	115.0153.2	[MCH 053-108-101] WHITE HOLLOW BALL 38	1	3	115.1152.8	TOP UNIT BLOCKING BALL HOUSING COVER	1																																												
Item	P/N	Description	Qty																																																																		
	S.115.1153.8	FLOAT BALL HOUSING WITH STAINLESS STEEL MESH ASSY																																																																			
1	115.1154.8	BLOCKING BALL HOUSING GREY WITH STAINLESS STEEL MESH 100	1																																																																		
2	115.0153.2	[MCH 053-108-101] WHITE HOLLOW BALL 38	1																																																																		
3	115.1152.8	TOP UNIT BLOCKING BALL HOUSING COVER	1																																																																		
<table><tr><td colspan="2">TOLERANCE UNSPECIFIED</td><td colspan="2">REMARK:</td><td colspan="4" rowspan="5"> SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS </td></tr><tr><td>LINE</td><td>ANGLE</td><td colspan="2">MATERIAL</td></tr><tr><td>.XXX=±0.005</td><td>X=±2°</td><td>APPROVED</td><td>CHECKED</td></tr><tr><td>.XX=±0.05</td><td>.X=±1.5°</td><td></td><td>DESIGNED</td></tr><tr><td>.X=±0.1</td><td>.XX=±1°</td><td></td><td>Yang</td></tr><tr><td>.=±0.2</td><td>.XXX=±0.5°</td><td></td><td>UNIT</td><td>REV.</td><td>-</td><td>PART NAME</td><td>KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER</td></tr><tr><td>XX=±0.5</td><td></td><td></td><td></td><td>MM</td><td></td><td>PART NO.</td><td>K1.IMP36N.FCT.0</td></tr><tr><td>XXX=±1</td><td></td><td></td><td></td><td></td><td></td><td>DRAWING NO.</td><td></td></tr><tr><td colspan="2">SHEET OF</td><td>DATE</td><td>2025/5/29</td><td>SCALE</td><td>1 : 1</td><td colspan="2">FRAME SIZE</td></tr><tr><td colspan="2"></td><td></td><td></td><td></td><td></td><td colspan="2">A4</td></tr></table>						TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS				LINE	ANGLE	MATERIAL		.XXX=±0.005	X=±2°	APPROVED	CHECKED	.XX=±0.05	.X=±1.5°		DESIGNED	.X=±0.1	.XX=±1°		Yang	.=±0.2	.XXX=±0.5°		UNIT	REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER	XX=±0.5				MM		PART NO.	K1.IMP36N.FCT.0	XXX=±1						DRAWING NO.		SHEET OF		DATE	2025/5/29	SCALE	1 : 1	FRAME SIZE								A4	
TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS																																																																	
LINE	ANGLE	MATERIAL																																																																			
.XXX=±0.005	X=±2°	APPROVED	CHECKED																																																																		
.XX=±0.05	.X=±1.5°		DESIGNED																																																																		
.X=±0.1	.XX=±1°		Yang																																																																		
.=±0.2	.XXX=±0.5°		UNIT	REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER																																																														
XX=±0.5				MM		PART NO.	K1.IMP36N.FCT.0																																																														
XXX=±1						DRAWING NO.																																																															
SHEET OF		DATE	2025/5/29	SCALE	1 : 1	FRAME SIZE																																																															
						A4																																																															
6	5	4	3	2	1																																																																




REV.	DESCRIPTION	REVISED BY	DATE	PAGE	8 / 27
A		Yang	29/5/2025		

Item	P/N	Description	Qty
	S.139.0310.357	VACUUM MOTOR ASSEMBLY L40 WITHOUT FILTER	
1	139.0006.1	VACUUM MOTOR SEALING GASKET TOP WITHOUT FILTER	1
2	139.0017.357	TURBINE HOLDER WITHOUT FILTER	1
3	139.0310.0	BRUSHLESS MOTOR 13-30V DC 60W/80W/100W GLUE DIPPING 36/40	1
4	139.1117.357	MAIN COVER TURBINE HOUSING WITHOUT FILTER imop36	1
5	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	4


TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS						
LINE	ANGLE									
.XXX=±0.005 .XX=±0.05 .X=±0.1 . =±0.2 XX=±0.5 XXX=±1	X=±2 ° .X=±1.5 ° .XX=±1 ° .XXX=±0.5 °	MATERIAL								
APPROVED	CHECKED	DESIGNED	REV.							
			Yang	UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE		
SHEET OF	DATE			2025/5/29	SCALE	1 : 5	DRAWING NO.	A4		



TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS								 FRAME SIZE
LINE	ANGLE			MATERIAL		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°					Yang	UNIT	MM	PART NO.	K1.IMP36N.FCT.0		
SHEET OF	DATE			2025/5/29	SCALE	1 : 5	DRAWING NO.				A4	



TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS							 FRAME SIZE
LINE	ANGLE			MATERIAL		REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER		
.XXX=±0.005 .XX=±0.05 .X=±0.1 . =±0.2 XX=±0.5 XXX=±1	X=±2 ° .X=±1.5 ° .XX=±1 ° .XXX=±0.5 °	APPROVED	CHECKED	DESIGNED	UNIT	MM	PART NO.	K1.IMP36N.FCT.0			
SHEET OF		DATE		2025/5/29	SCALE	1 : 3	DRAWING NO.		A4		



Item	P/N	Description	Qty
	S.115.0030.357	ASSY TRANSPORT WHEEL PILLAR LEFT	
1	115.0037.1	CYLINDER ROUND HEAD CAP SCREW M3 x 8 SUS304	1
2	115.0266.36	TRANSPORT WHEEL PILLAR COVER SILVER RAL 9006 RIGHT	1
3	115.0030.357G	[MCH-211-266](108)TRANSPORT WHEEL PILLAR LEFT P431C DUTCH AKSU TREATMENT	1
4	04.0048.0	NUT M5 NYLON STAINLESS	1
5	115.0177.0	(013-107) [101]COUNTER SUNK BOLT M8 x 12	1
6	72.0029.2/797	[MCH211-264] (101) WHITE CASTOR + BLUE BRACKET	1
7	115.0199.0C	[MCH211-267][104] TRANSPORT CASTOR AXIS I-MOPLITE	1

TOLERANCE UNSPECIFIED


LINE	ANGLE
.XXX=±0.005	X=±2°
.XX=±0.05	.X=±1.5°
.X=±0.1	.XX=±1°
.=±0.2	.XXX=±0.5°
XX=±0.5	
XXX=±1	

REMARK:


MATERIAL										
APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER				
		Yang	UNIT	MM	PART NO.	K1.IMP36N.FCT.0				
SHEET	OF	DATE			2025/5/29	SCALE	1 : 2	DRAWING NO.		A4



东莞硕能塑胶模具有限公司



ASSEMBLY AND MOULD OF CLEANING PRODUCTS




TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS							
LINE	ANGLE			MATERIAL	APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	
.XXX=±0.005 .XX=±0.05 .X=±0.1 .±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°				Yang	UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE	
SHEET OF	DATE			2025/5/29	SCALE	1 : 2	DRAWING NO.			A4	




6		5		4		3		2		1																																																													
REV. A		DESCRIPTION				REVISED BY Yang		DATE 29/5/2025		PAGE 14 / 27																																																													
																																																																							
						<table><tr><td>Item</td><td>P/N</td><td>Description</td><td>Qty</td></tr><tr><td></td><td>S.115.0413.357</td><td>ASSY JOINT PART L36</td><td></td></tr><tr><td>1</td><td>72.0240.2</td><td>HEXALOBULAR SOCKET COUNTERSUNK HEAD SELF TAPPING SCREW ST3X10</td><td>3</td></tr><tr><td>2</td><td>139.0025.357</td><td>COVER JOINT UPPER PART</td><td>1</td></tr><tr><td>3</td><td>115.0184.0</td><td>[MCH 011-103-101] EJOT PT SCREW WN 5452 30X16</td><td>2</td></tr><tr><td>4</td><td>139.0026.357</td><td>STRAIN RELIEF JOINT UPPER PART</td><td>1</td></tr><tr><td>5</td><td>115.0413.357</td><td>HINGE i-MOP 36 GREY P431C</td><td>1</td></tr><tr><td>6</td><td>139.0021.357</td><td>SPACER CONTACTS</td><td>1</td></tr><tr><td>7</td><td>139.0022.0</td><td>PCB JOINT</td><td>1</td></tr><tr><td>8</td><td>S.115.0424.0</td><td>CABLE IN HINGE L36</td><td>1</td></tr><tr><td>9</td><td>139.0008.0</td><td>TOP UNIT ADAPTOR SEALING PLUG</td><td>1</td></tr><tr><td>10</td><td>139.0024.357</td><td>PLUG-IN VALVE</td><td>1</td></tr><tr><td>11</td><td>139.0109.0</td><td>HOSE CLAMP STAINLESS STEEL Ø8 WIRE DIA.Ø1.0</td><td>1</td></tr><tr><td>12</td><td>139.0027.0</td><td>TOP AXIS JOINT</td><td>1</td></tr><tr><td>13</td><td>115.0186.0</td><td>[MCH 211-031-101] CIRCLIP EXTERNAL 10.0 STAINLESS STEEL</td><td>1</td></tr></table>						Item	P/N	Description	Qty		S.115.0413.357	ASSY JOINT PART L36		1	72.0240.2	HEXALOBULAR SOCKET COUNTERSUNK HEAD SELF TAPPING SCREW ST3X10	3	2	139.0025.357	COVER JOINT UPPER PART	1	3	115.0184.0	[MCH 011-103-101] EJOT PT SCREW WN 5452 30X16	2	4	139.0026.357	STRAIN RELIEF JOINT UPPER PART	1	5	115.0413.357	HINGE i-MOP 36 GREY P431C	1	6	139.0021.357	SPACER CONTACTS	1	7	139.0022.0	PCB JOINT	1	8	S.115.0424.0	CABLE IN HINGE L36	1	9	139.0008.0	TOP UNIT ADAPTOR SEALING PLUG	1	10	139.0024.357	PLUG-IN VALVE	1	11	139.0109.0	HOSE CLAMP STAINLESS STEEL Ø8 WIRE DIA.Ø1.0	1	12	139.0027.0	TOP AXIS JOINT	1	13	115.0186.0	[MCH 211-031-101] CIRCLIP EXTERNAL 10.0 STAINLESS STEEL	1
Item	P/N	Description	Qty																																																																				
	S.115.0413.357	ASSY JOINT PART L36																																																																					
1	72.0240.2	HEXALOBULAR SOCKET COUNTERSUNK HEAD SELF TAPPING SCREW ST3X10	3																																																																				
2	139.0025.357	COVER JOINT UPPER PART	1																																																																				
3	115.0184.0	[MCH 011-103-101] EJOT PT SCREW WN 5452 30X16	2																																																																				
4	139.0026.357	STRAIN RELIEF JOINT UPPER PART	1																																																																				
5	115.0413.357	HINGE i-MOP 36 GREY P431C	1																																																																				
6	139.0021.357	SPACER CONTACTS	1																																																																				
7	139.0022.0	PCB JOINT	1																																																																				
8	S.115.0424.0	CABLE IN HINGE L36	1																																																																				
9	139.0008.0	TOP UNIT ADAPTOR SEALING PLUG	1																																																																				
10	139.0024.357	PLUG-IN VALVE	1																																																																				
11	139.0109.0	HOSE CLAMP STAINLESS STEEL Ø8 WIRE DIA.Ø1.0	1																																																																				
12	139.0027.0	TOP AXIS JOINT	1																																																																				
13	115.0186.0	[MCH 211-031-101] CIRCLIP EXTERNAL 10.0 STAINLESS STEEL	1																																																																				
						<table><tr><td colspan="2">TOLERANCE UNSPECIFIED</td><td colspan="2">REMARK:</td><td colspan="4" rowspan="4"> SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS </td></tr><tr><td>LINE</td><td>ANGLE</td><td colspan="2"></td></tr><tr><td>.XXX=±0.005</td><td>X=±2 °</td><td colspan="2">MATERIAL</td></tr><tr><td>.XX=±0.05</td><td>.X=±1.5 °</td><td colspan="2"></td></tr><tr><td>.X=±0.1</td><td>.XX=±1 °</td><td>APPROVED</td><td>CHECKED</td><td>DESIGNED</td><td>REV.</td><td>-</td><td>PART NAME</td><td>KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER</td><td rowspan="3"></td></tr><tr><td>.=±0.2</td><td>.XXX=±0.5 °</td><td></td><td></td><td></td><td></td><td></td><td>PART NO.</td><td>K1.IMP36N.FCT.0</td></tr><tr><td>XX=±0.5</td><td></td><td></td><td></td><td>Yang</td><td>UNIT</td><td>MM</td><td>DRAWING NO.</td><td>FRAME SIZE</td></tr><tr><td>XXX=±1</td><td></td><td>SHEET OF</td><td>DATE</td><td></td><td></td><td>2025/5/29</td><td>SCALE</td><td>1 : 2</td><td></td><td>A4</td></tr></table>						TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS				LINE	ANGLE			.XXX=±0.005	X=±2 °	MATERIAL		.XX=±0.05	.X=±1.5 °			.X=±0.1	.XX=±1 °	APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER		.=±0.2	.XXX=±0.5 °						PART NO.	K1.IMP36N.FCT.0	XX=±0.5				Yang	UNIT	MM	DRAWING NO.	FRAME SIZE	XXX=±1		SHEET OF	DATE			2025/5/29	SCALE	1 : 2		A4	
TOLERANCE UNSPECIFIED		REMARK:		SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS																																																																			
LINE	ANGLE																																																																						
.XXX=±0.005	X=±2 °	MATERIAL																																																																					
.XX=±0.05	.X=±1.5 °																																																																						
.X=±0.1	.XX=±1 °	APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER																																																															
.=±0.2	.XXX=±0.5 °						PART NO.	K1.IMP36N.FCT.0																																																															
XX=±0.5				Yang	UNIT	MM	DRAWING NO.	FRAME SIZE																																																															
XXX=±1		SHEET OF	DATE			2025/5/29	SCALE	1 : 2		A4																																																													
6		5		4		3		2		1																																																													

6		5		4		3		2		1																																																																																							
REV.		DESCRIPTION				REVISED BY		DATE		PAGE																																																																																							
A						Yang		29/5/2025		15 / 27																																																																																							
2 3 4 5 1 6  																																																																																																	
<table><tr><td>Item</td><td>P/N</td><td colspan="6">Desciption</td><td>Qty</td></tr><tr><td></td><td>S.115.1052.357</td><td colspan="6">ASSY JOINT LOWER PART L36</td><td></td></tr><tr><td>1</td><td>115.0180.0B</td><td colspan="6">[MCH 211-231-103] MAIN HINGE COVE</td><td>2</td></tr><tr><td>2</td><td>115.0172.0</td><td colspan="6">[MCH-013-107](101) SCREW M6X14</td><td>2</td></tr><tr><td>3</td><td>115.0056.0A</td><td colspan="6">[MCH 211-221](102)FLOOR UNIT BEARING BUSH</td><td>2</td></tr><tr><td>4</td><td>115.0053.0A</td><td colspan="6">(MCH 211-210) [102] MAIN HINGE BEARING BUSH</td><td>2</td></tr><tr><td>5</td><td>115.1052.357</td><td colspan="6">JOINT LOWE PART L36</td><td>1</td></tr><tr><td>6</td><td>115.0057.0A</td><td colspan="6">[MCH 211-220](102) FLOOR UNIT BEARING DISC</td><td>2</td></tr></table>												Item	P/N	Desciption						Qty		S.115.1052.357	ASSY JOINT LOWER PART L36							1	115.0180.0B	[MCH 211-231-103] MAIN HINGE COVE						2	2	115.0172.0	[MCH-013-107](101) SCREW M6X14						2	3	115.0056.0A	[MCH 211-221](102)FLOOR UNIT BEARING BUSH						2	4	115.0053.0A	(MCH 211-210) [102] MAIN HINGE BEARING BUSH						2	5	115.1052.357	JOINT LOWE PART L36						1	6	115.0057.0A	[MCH 211-220](102) FLOOR UNIT BEARING DISC						2														
Item	P/N	Desciption						Qty																																																																																									
	S.115.1052.357	ASSY JOINT LOWER PART L36																																																																																															
1	115.0180.0B	[MCH 211-231-103] MAIN HINGE COVE						2																																																																																									
2	115.0172.0	[MCH-013-107](101) SCREW M6X14						2																																																																																									
3	115.0056.0A	[MCH 211-221](102)FLOOR UNIT BEARING BUSH						2																																																																																									
4	115.0053.0A	(MCH 211-210) [102] MAIN HINGE BEARING BUSH						2																																																																																									
5	115.1052.357	JOINT LOWE PART L36						1																																																																																									
6	115.0057.0A	[MCH 211-220](102) FLOOR UNIT BEARING DISC						2																																																																																									
<table><tr><td colspan="2">TOLERANCE UNSPECIFIED</td><td colspan="3">REMARK:</td><td colspan="6"> SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS </td></tr><tr><td>LINE</td><td>ANGLE</td><td colspan="3">MATERIAL</td><td colspan="6"></td></tr><tr><td>.XXX=±0.005</td><td>X=±2°</td><td colspan="3" rowspan="5">APPROVED</td><td rowspan="5">CHECKED</td><td rowspan="5">DESIGNED</td><td>REV.</td><td>-</td><td>PART NAME</td><td>KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER</td><td rowspan="5"></td></tr><tr><td>.XX=±0.05</td><td>.X=±1.5°</td><td>UNIT</td><td>MM</td><td>PART NO.</td><td>K1.IMP36N.FCT.0</td><td>FRAME SIZE</td></tr><tr><td>.X=±0.1</td><td>.XX=±1°</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>.=±0.2</td><td>.XXX=±0.5°</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>XX=±0.5</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>XXX=±1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2">SHEET OF</td><td colspan="2">DATE</td><td></td><td></td><td>2025/5/29</td><td>SCALE</td><td>1 : 2</td><td>DRAWING NO.</td><td colspan="2">A4</td></tr></table>												TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS						LINE	ANGLE	MATERIAL									.XXX=±0.005	X=±2°	APPROVED			CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER		.XX=±0.05	.X=±1.5°	UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE	.X=±0.1	.XX=±1°						.=±0.2	.XXX=±0.5°						XX=±0.5							XXX=±1												SHEET OF		DATE				2025/5/29	SCALE	1 : 2	DRAWING NO.	A4	
TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS																																																																																												
LINE	ANGLE	MATERIAL																																																																																															
.XXX=±0.005	X=±2°	APPROVED			CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER																																																																																							
.XX=±0.05	.X=±1.5°						UNIT	MM	PART NO.	K1.IMP36N.FCT.0		FRAME SIZE																																																																																					
.X=±0.1	.XX=±1°																																																																																																
.=±0.2	.XXX=±0.5°																																																																																																
XX=±0.5																																																																																																	
XXX=±1																																																																																																	
SHEET OF		DATE				2025/5/29	SCALE	1 : 2	DRAWING NO.	A4																																																																																							
6		5		4		3		2		1																																																																																							

6		5		4		3		2		1																																																																																																																											
REV. A		DESCRIPTION				REVISED BY Yang		DATE 29/5/2025		PAGE 16 / 27																																																																																																																											
1 2 3 4																																																																																																																																					
<table><tr><td>Item</td><td>P/N</td><td colspan="6">Description</td><td>Qty</td></tr><tr><td></td><td>S.115.1028.357</td><td colspan="6">ASSY SPRING CONTACT PCB L36</td><td></td></tr><tr><td>1</td><td>115.0029.357B</td><td colspan="6">(MCH 211-217 [103] SPRING CONTACT FRAME GREY P431C (3.8X2.5X0.3CM)</td><td>1</td></tr><tr><td>2</td><td>S.115.1027.0B</td><td colspan="6">SPRING CONTACT PCB L36</td><td>1</td></tr><tr><td>3</td><td>115.0028.357C</td><td colspan="6">(MCH 211-216 [104] SPRING CONTACT HOUSING GREY P431C</td><td>1</td></tr><tr><td>4</td><td>115.0011.0</td><td colspan="6">(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10</td><td>1</td></tr></table>												Item	P/N	Description						Qty		S.115.1028.357	ASSY SPRING CONTACT PCB L36							1	115.0029.357B	(MCH 211-217 [103] SPRING CONTACT FRAME GREY P431C (3.8X2.5X0.3CM)						1	2	S.115.1027.0B	SPRING CONTACT PCB L36						1	3	115.0028.357C	(MCH 211-216 [104] SPRING CONTACT HOUSING GREY P431C						1	4	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10						1																																																																				
Item	P/N	Description						Qty																																																																																																																													
	S.115.1028.357	ASSY SPRING CONTACT PCB L36																																																																																																																																			
1	115.0029.357B	(MCH 211-217 [103] SPRING CONTACT FRAME GREY P431C (3.8X2.5X0.3CM)						1																																																																																																																													
2	S.115.1027.0B	SPRING CONTACT PCB L36						1																																																																																																																													
3	115.0028.357C	(MCH 211-216 [104] SPRING CONTACT HOUSING GREY P431C						1																																																																																																																													
4	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10						1																																																																																																																													
<table><tr><td colspan="2">TOLERANCE UNSPECIFIED</td><td colspan="3">REMARK:</td><td colspan="5"> SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS </td></tr><tr><td>LINE</td><td>ANGLE</td><td colspan="3">MATERIAL</td><td colspan="2">APPROVED</td><td>CHECKED</td><td>DESIGNED</td><td>REV.</td><td>-</td><td>PART NAME</td><td>KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER</td><td></td></tr><tr><td>.XXX=±0.005</td><td>X=±2°</td><td colspan="3"></td><td colspan="2"></td><td></td><td>Yang</td><td>UNIT</td><td>MM</td><td>PART NO.</td><td>K1.IMP36N.FCT.0</td><td>FRAME SIZE</td></tr><tr><td>.XX=±0.05</td><td>.X=±1.5°</td><td colspan="3"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>.X=±0.1</td><td>.XX=±1°</td><td colspan="3"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>.=±0.2</td><td>.XXX=±0.5°</td><td colspan="3"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>XX=±0.5</td><td></td><td colspan="3"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>XXX=±1</td><td></td><td colspan="3"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2">SHEET OF</td><td colspan="2">DATE</td><td colspan="2"></td><td colspan="2">2025/5/29</td><td>SCALE</td><td colspan="2">1 : 1</td><td colspan="2">DRAWING NO.</td><td>A4</td></tr></table>												TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS					LINE	ANGLE	MATERIAL			APPROVED		CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER		.XXX=±0.005	X=±2°							Yang	UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE	.XX=±0.05	.X=±1.5°													.X=±0.1	.XX=±1°													.=±0.2	.XXX=±0.5°													XX=±0.5														XXX=±1														SHEET OF		DATE				2025/5/29		SCALE	1 : 1		DRAWING NO.		A4
TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS																																																																																																																																
LINE	ANGLE	MATERIAL			APPROVED		CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER																																																																																																																									
.XXX=±0.005	X=±2°							Yang	UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE																																																																																																																								
.XX=±0.05	.X=±1.5°																																																																																																																																				
.X=±0.1	.XX=±1°																																																																																																																																				
.=±0.2	.XXX=±0.5°																																																																																																																																				
XX=±0.5																																																																																																																																					
XXX=±1																																																																																																																																					
SHEET OF		DATE				2025/5/29		SCALE	1 : 1		DRAWING NO.		A4																																																																																																																								
6		5		4		3		2		1																																																																																																																											


6		5		4		3		2		1																																																																																																								
REV. A		DESCRIPTION				REVISED BY Yang		DATE 29/5/2025		PAGE 17 / 27																																																																																																								
 <table><thead><tr><th>Item</th><th>P/N</th><th>Description</th><th>Qty</th></tr></thead><tbody><tr><td></td><td>S.115.0307.357B</td><td>SUPPORT SYSTEM COMPLETE L36</td><td></td></tr><tr><td>1</td><td>115.0308.0A</td><td>[MCH 211-375](102)SUPPORT SYSTEM COVER PAINTED COLOR PSEH-634B</td><td>1</td></tr><tr><td>2</td><td>115.0304.0</td><td>[MCH 031-103](101)CIRCLIP EXTERNAL 6.0 GB/T 894.1-1986</td><td>1</td></tr><tr><td>3</td><td>115.0303.0</td><td>[MCH 031-101](101) CIRCLIP EXTERNAL 4.0 GB/T 896-1986</td><td>1</td></tr><tr><td>4</td><td>S.115.1305.357</td><td>SUPPORT SYSTEM LEVER ASSY iMOP 36</td><td>4</td></tr><tr><td>5</td><td>115.0294.0</td><td>[MCH 211-381](101) SUPPORT SYSTEM BRACKET SHAFT</td><td>1</td></tr><tr><td>6</td><td>115.0307.357B</td><td>SUPPORT SYSTEM BRACKET COMPLETE I36 GREY P431C</td><td>1</td></tr><tr><td>7</td><td>115.0298.0</td><td>[MCH 211-385](101) SUPPORT SYSTEM SPRING SUPPORT</td><td>1</td></tr><tr><td>8</td><td>115.0302.0</td><td>[MCH 013-139](101) HEX SOCKET BOLT M5x8 GB/T 70.1-2006 STAINLESS STEEL</td><td>1</td></tr><tr><td>9</td><td>115.0299.0</td><td>[MCH 043-107](101)EXTENSION SPRING 2.20 X 48.0</td><td>1</td></tr><tr><td>10</td><td>115.0296.0</td><td>[MCH 211-383](101) SUPPORT SYSTEM SPRING AXIS</td><td>1</td></tr><tr><td>11</td><td>115.0297.0</td><td>[MCH 211-384](101) SUPPORT SYSTEM SPRING CONNECTOR</td><td>1</td></tr><tr><td>12</td><td>115.0309.357A</td><td>[MCH 211-376](102)SUPPORT SYSTEM HOLDER GREY P431C</td><td>1</td></tr><tr><td>13</td><td>72.0033.2</td><td>COUNTER SUNK HEAD CAP SCREW M6X20 WITH NYLOK SCREW</td><td>2</td></tr><tr><td>14</td><td>115.0295.0</td><td>[MCH 211-382](101) SUPPORT SYSTEM HOLDER SHAFT</td><td>1</td></tr></tbody></table> TOLERANCE UNSPECIFIED <table><thead><tr><th>LINE</th><th>ANGLE</th></tr></thead><tbody><tr><td>.XXX=±0.005</td><td>X=±2°</td></tr><tr><td>.XX=±0.05</td><td>.X=±1.5°</td></tr><tr><td>.X=±0.1</td><td>.XX=±1°</td></tr><tr><td>.±0.2</td><td>.XXX=±0.5°</td></tr><tr><td>XX=±0.5</td><td></td></tr><tr><td>XXX=±1</td><td></td></tr></tbody></table> REMARK: <table><tr><td colspan="3">MATERIAL</td></tr><tr><td>APPROVED</td><td>CHECKED</td><td>DESIGNED</td></tr><tr><td></td><td></td><td>Yang</td></tr></table> <table><tr><td>REV.</td><td>-</td><td>PART NAME</td><td>KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER</td><td rowspan="2"></td></tr><tr><td>UNIT</td><td>MM</td><td>PART NO.</td><td>K1.IMP36N.FCT.0</td></tr><tr><td>SHEET OF</td><td>DATE</td><td>2025/5/29</td><td>SCALE</td><td>1 : 2</td><td>DRAWING NO.</td><td>A4</td></tr></table> SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS												Item	P/N	Description	Qty		S.115.0307.357B	SUPPORT SYSTEM COMPLETE L36		1	115.0308.0A	[MCH 211-375](102)SUPPORT SYSTEM COVER PAINTED COLOR PSEH-634B	1	2	115.0304.0	[MCH 031-103](101)CIRCLIP EXTERNAL 6.0 GB/T 894.1-1986	1	3	115.0303.0	[MCH 031-101](101) CIRCLIP EXTERNAL 4.0 GB/T 896-1986	1	4	S.115.1305.357	SUPPORT SYSTEM LEVER ASSY iMOP 36	4	5	115.0294.0	[MCH 211-381](101) SUPPORT SYSTEM BRACKET SHAFT	1	6	115.0307.357B	SUPPORT SYSTEM BRACKET COMPLETE I36 GREY P431C	1	7	115.0298.0	[MCH 211-385](101) SUPPORT SYSTEM SPRING SUPPORT	1	8	115.0302.0	[MCH 013-139](101) HEX SOCKET BOLT M5x8 GB/T 70.1-2006 STAINLESS STEEL	1	9	115.0299.0	[MCH 043-107](101)EXTENSION SPRING 2.20 X 48.0	1	10	115.0296.0	[MCH 211-383](101) SUPPORT SYSTEM SPRING AXIS	1	11	115.0297.0	[MCH 211-384](101) SUPPORT SYSTEM SPRING CONNECTOR	1	12	115.0309.357A	[MCH 211-376](102)SUPPORT SYSTEM HOLDER GREY P431C	1	13	72.0033.2	COUNTER SUNK HEAD CAP SCREW M6X20 WITH NYLOK SCREW	2	14	115.0295.0	[MCH 211-382](101) SUPPORT SYSTEM HOLDER SHAFT	1	LINE	ANGLE	.XXX=±0.005	X=±2°	.XX=±0.05	.X=±1.5°	.X=±0.1	.XX=±1°	.±0.2	.XXX=±0.5°	XX=±0.5		XXX=±1		MATERIAL			APPROVED	CHECKED	DESIGNED			Yang	REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER		UNIT	MM	PART NO.	K1.IMP36N.FCT.0	SHEET OF	DATE	2025/5/29	SCALE	1 : 2	DRAWING NO.	A4
Item	P/N	Description	Qty																																																																																																															
	S.115.0307.357B	SUPPORT SYSTEM COMPLETE L36																																																																																																																
1	115.0308.0A	[MCH 211-375](102)SUPPORT SYSTEM COVER PAINTED COLOR PSEH-634B	1																																																																																																															
2	115.0304.0	[MCH 031-103](101)CIRCLIP EXTERNAL 6.0 GB/T 894.1-1986	1																																																																																																															
3	115.0303.0	[MCH 031-101](101) CIRCLIP EXTERNAL 4.0 GB/T 896-1986	1																																																																																																															
4	S.115.1305.357	SUPPORT SYSTEM LEVER ASSY iMOP 36	4																																																																																																															
5	115.0294.0	[MCH 211-381](101) SUPPORT SYSTEM BRACKET SHAFT	1																																																																																																															
6	115.0307.357B	SUPPORT SYSTEM BRACKET COMPLETE I36 GREY P431C	1																																																																																																															
7	115.0298.0	[MCH 211-385](101) SUPPORT SYSTEM SPRING SUPPORT	1																																																																																																															
8	115.0302.0	[MCH 013-139](101) HEX SOCKET BOLT M5x8 GB/T 70.1-2006 STAINLESS STEEL	1																																																																																																															
9	115.0299.0	[MCH 043-107](101)EXTENSION SPRING 2.20 X 48.0	1																																																																																																															
10	115.0296.0	[MCH 211-383](101) SUPPORT SYSTEM SPRING AXIS	1																																																																																																															
11	115.0297.0	[MCH 211-384](101) SUPPORT SYSTEM SPRING CONNECTOR	1																																																																																																															
12	115.0309.357A	[MCH 211-376](102)SUPPORT SYSTEM HOLDER GREY P431C	1																																																																																																															
13	72.0033.2	COUNTER SUNK HEAD CAP SCREW M6X20 WITH NYLOK SCREW	2																																																																																																															
14	115.0295.0	[MCH 211-382](101) SUPPORT SYSTEM HOLDER SHAFT	1																																																																																																															
LINE	ANGLE																																																																																																																	
.XXX=±0.005	X=±2°																																																																																																																	
.XX=±0.05	.X=±1.5°																																																																																																																	
.X=±0.1	.XX=±1°																																																																																																																	
.±0.2	.XXX=±0.5°																																																																																																																	
XX=±0.5																																																																																																																		
XXX=±1																																																																																																																		
MATERIAL																																																																																																																		
APPROVED	CHECKED	DESIGNED																																																																																																																
		Yang																																																																																																																
REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER																																																																																																															
UNIT	MM	PART NO.	K1.IMP36N.FCT.0																																																																																																															
SHEET OF	DATE	2025/5/29	SCALE	1 : 2	DRAWING NO.	A4																																																																																																												




REV.	DESCRIPTION	REVISED BY	DATE	PAGE	18 / 27
A		Yang	29/5/2025		

Item	P/N	Description	Qty
	S.115.1305.357	SUPPORT SYSTEM LEVER ASSY i-MOP 36	
1	72.0201.0	SCREW ST3 x10 COUNTER SUNK	2
2	115.0306.8	[MCH 211-378](101)SUPPORT SYSTEM CAP YELLOW P122C	1
3	72.0053.0	MAGNET TOP UNIT SMALL 20X20X10MM [MCH 1416-1001-2172]	1
4	115.0293.0A	[MCH 211-380](102) SUPPORT SYSTEM LEVER AXIS	1
5	115.1305.357	SUPPORT SYSTEM LEVER GREY P431C i-MOP 36	1


TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS									
LINE	ANGLE									MATERIAL				
.XXX=±0.005 .XX=±0.05 .X=±0.1 . =±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	APPROVED	CHECKED	DESIGNED						REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER	
				Yang						UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE
SHEET OF	DATE			2025/5/29						SCALE	1 : 1	DRAWING NO.		A4





Item	P/N	Desciption	Qty
	S.115.2017.357	BRUSH COUPLING CCW (RIGHT) LOCKER ASSY	
1	115.0013.0	(MCH 013-101) [101] COUNTER SUNK BOLT M4X12	3
2	115.0017.357E	(MCH 211-148) [106]BRUSH COUPLING CCW GREY P431C	1
3	115.0331.0	COMPRESSION SPRING OD3.7 x ID2.7 x L12	3
4	115.0330.357	BULB-ENDED SLIDER BRUSH LOCKER	3
5	115.0329.357	SLIDER HOUSING BRUSH LOCKER	3
6	115.0172.0	[MCH-013-107](101) SCREW M6X14	1
7	115.1018.0	PULLEY AXIS L36	1

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS									
LINE	ANGLE									MATERIAL				
.XXX=±0.005 .XX=±0.05 .X=±0.1 . =±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	APPROVED	CHECKED	DESIGNED						REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER	
				Yang						UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE
SHEET	OF	DATE			2025/5/29	SCALE	1 : 2	DRAWING NO.		A4				



REV.	DESCRIPTION	REVISED BY	DATE	PAGE	22 / 27
A		Yang	29/5/2025		

Item	P/N	Description	Qty
	S.115.1159.8	MAGNET HOUSING PARKING ASSY i-MOP 36	
1	115.1156.8	MAGNET HOUSING PARKING RIN	1
2	115.1158.8	MAGNET HOUSING PARKING BASE	1
3	115.1157.0	MAGNET PARKING i-MOP 36 SIZE: 5.3x2.2x2.2CM	1
4	115.1159.8	MAGNET HOUSING PARKING COVER	1
5	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	1

TOLERANCE UNSPECIFIED


LINE	ANGLE
.XXX=±0.005	X=±2°
.XX=±0.05	.X=±1.5°
.X=±0.1	.XX=±1°
.=±0.2	.XXX=±0.5°
XX=±0.5	
XXX=±1	

REMARK:

MATERIAL										
APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER				
		Yang	UNIT	MM	PART NO.	K1.IMP36N.FCT.0				
SHEET	OF	DATE			2025/5/29	SCALE	1 : 1	DRAWING NO.		A4


东莞硕能塑胶模具有限公司

ASSEMBLY AND MOULD OF CLEANING PRODUCTS




Item	P/N	Description	Qty.
	S.115.1089.2AT	ASSY VACUUM ANTIBACTERIAL WHITE TANK + PRINT	
1	115.1089.2AT	VACUUM TANK ANTIBACTERIAL WHITE	1
2	115.0080.0C	[MCH 211-190] (104) TANK HOLDER PLATE	1
3	115.0194.0	(MCH 041-102) [101] CLOSED RIVET 4X10	2
4	72.0271.0	PLASTIC WASHER 9x4x1mm	1
5	72.0265.0	SEALING GASKET CAP DIRTY TANK	1
6	72.0264.357	CAP WITHOUT HOLE Color: Grey [P431C]	1
7	89.0469.2099.25A	WARNING PLATE ON DIRTY TANK ROUND STAINLESS PLATE	1
8	72.0252.1	CAP HOLDER	1
9	72.0254.0	SLEEVE CAP HOLDER	1
10	54.0029.0	BLIND REVIT NAIL 4 X 15 MM	1

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS									
LINE	ANGLE									MATERIAL				
.XXX=±0.005 .XX=±0.05 .X=±0.1 .±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° XX=±1° .XXX=±0.5°	APPROVED	CHECKED	DESIGNED						REV.		PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER	
				Yang						UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE
SHEET OF		DATE			2025/5/29	SCALE		DRAWING NO.		A3				



Item	P/N	Description	Qty.
	S.115.1079.0B	[MCH-211-016-103]ASSY FRESH WATER TANK + PRINT	
1	S.115.1083.357A	ASSY WATER CONNECTOR FEMALE FILTE	1
2	115.1079.0L	FRESH WATER TANK + PRINT	1
3	115.0080.0C	(104) TANK HOLDER PLATE	1
4	115.0194.0	CLOSED RIVET 4X10	2
5	72.0251.797	CAP WITH HOLE, Kleur: Blue .797 (P312C)	1
6	72.0252.1	CAP HOLDER CANVAS FILLED RUBBER	1
7	72.0254.1	SLEEVE CAP HOLDER CLEAN TANK	1

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS									
LINE	ANGLE									MATERIAL				
.XXX=±0.005 .XX=±0.05 .X=±0.1 .±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° XX=±1° .XXX=±0.5°	APPROVED	CHECKED	DESIGNED						REV.	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER		
				Yang						UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE
SHEET OF		DATE		2025/5/29						SCALE	DRAWING NO.	A3		



REV.	DESCRIPTION	REVISED BY	DATE	PAGE	25 / 27
A		Yang	29/5/2025		

Item	P/N	Description	Qty.
	S.115.1083.357A	[MCH-211-017-102]ASSY WATER CONNECTOR FEMALE FILTE	
1	115.0086.2D	WATER CONNECTOR FEMALE CAP WHIT	1
2	115.1088.0C	WATER CONNECTOR FEMALE RUBBE	1
3	115.0210.67	O-RING 7X2.5 FKM	1
4	115.0087.0B	WATER CONNECTOR FEMALE VALVE	2
5	115.0085.0	COMPRESSION SPRING 7X9X28.5	1
6	115.0083.357D	[MCH 211-028] (105) WATER CONNECTOR FEMALE FILTER	1

TOLERANCE UNSPECIFIED

LINE	ANGLE
.XXX=±0.005	X=±2°
.XX=±0.05	.X=±1.5°
.X=±0.1	.XX=±1°
.=±0.2	.XXX=±0.5°
XX=±0.5	
XXX=±1	

REMARK:

MATERIAL

APPROVED

CHECKED

DESIGNED

Yang

REV.

UNIT

2025/5/29

SCALE

2 : 1

REV.

-

PART NAME

KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER

PART NO.

K1.IMP36N.FCT.0

DRAWING NO.

FRAME SIZE

A4


SMT-FCT DONGGUAN

THE FRIENDLY FAMILY

东莞硕能塑胶模具有限公司

ASSEMBLY AND MOULD OF CLEANING PRODUCTS

6		5		4		3		2		1																																																																																																													
REV. A		DESCRIPTION				REVISED BY Yang		DATE 29/5/2025		PAGE 26 / 27																																																																																																													
<table><tr><td>Item</td><td>P/N</td><td colspan="6">Description</td><td>Qty</td></tr><tr><td></td><td>S.115.1054.797/797B</td><td colspan="6">ASSY BRUSH BLUE BRISTLE BLUE LOCKER</td><td></td></tr><tr><td>1</td><td>115.1055.797A</td><td colspan="6">ASSY BRUSH BLUE 0.3PP BRISTLE</td><td>1</td></tr><tr><td>2</td><td>115.0011.0</td><td colspan="6">(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10</td><td>3</td></tr><tr><td>3</td><td>115.1058.797F</td><td colspan="6">BRUSH LOCK BLUE P312C</td><td>1</td></tr></table>												Item	P/N	Description						Qty		S.115.1054.797/797B	ASSY BRUSH BLUE BRISTLE BLUE LOCKER							1	115.1055.797A	ASSY BRUSH BLUE 0.3PP BRISTLE						1	2	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10						3	3	115.1058.797F	BRUSH LOCK BLUE P312C						1																																																															
Item	P/N	Description						Qty																																																																																																															
	S.115.1054.797/797B	ASSY BRUSH BLUE BRISTLE BLUE LOCKER																																																																																																																					
1	115.1055.797A	ASSY BRUSH BLUE 0.3PP BRISTLE						1																																																																																																															
2	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10						3																																																																																																															
3	115.1058.797F	BRUSH LOCK BLUE P312C						1																																																																																																															
<table><tr><td colspan="2">TOLERANCE UNSPECIFIED</td><td colspan="3">REMARK:</td><td colspan="7"> SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS </td></tr><tr><td>LINE</td><td>ANGLE</td><td colspan="3">MATERIAL</td><td>REV.</td><td>-</td><td>PART NAME</td><td colspan="3">KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER</td><td></td></tr><tr><td>.XXX=±0.005</td><td>X=±2°</td><td>APPROVED</td><td>CHECKED</td><td>DESIGNED</td><td>Yang</td><td>UNIT</td><td>MM</td><td>PART NO.</td><td colspan="2">K1.IMP36N.FCT.0</td><td>FRAME SIZE</td></tr><tr><td>.XX=±0.05</td><td>.X=±1.5°</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td colspan="2"></td><td></td></tr><tr><td>.X=±0.1</td><td>.XX=±1°</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td colspan="2"></td><td></td></tr><tr><td>.=±0.2</td><td>.XXX=±0.5°</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td colspan="2"></td><td></td></tr><tr><td>XX=±0.5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td colspan="2"></td><td></td></tr><tr><td>XXX=±1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td colspan="2"></td><td></td></tr><tr><td colspan="2">SHEET OF</td><td>DATE</td><td></td><td></td><td>2025/5/29</td><td>SCALE</td><td>2 : 1</td><td>DRAWING NO.</td><td colspan="2"></td><td>A4</td></tr></table>												TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS							LINE	ANGLE	MATERIAL			REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER				.XXX=±0.005	X=±2°	APPROVED	CHECKED	DESIGNED	Yang	UNIT	MM	PART NO.	K1.IMP36N.FCT.0		FRAME SIZE	.XX=±0.05	.X=±1.5°											.X=±0.1	.XX=±1°											.=±0.2	.XXX=±0.5°											XX=±0.5												XXX=±1												SHEET OF		DATE			2025/5/29	SCALE	2 : 1	DRAWING NO.			A4
TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS																																																																																																																		
LINE	ANGLE	MATERIAL			REV.	-	PART NAME	KIT ASSY IMOP 36 BASIC ITEAM W/O I-POWER																																																																																																															
.XXX=±0.005	X=±2°	APPROVED	CHECKED	DESIGNED	Yang	UNIT	MM	PART NO.	K1.IMP36N.FCT.0		FRAME SIZE																																																																																																												
.XX=±0.05	.X=±1.5°																																																																																																																						
.X=±0.1	.XX=±1°																																																																																																																						
.=±0.2	.XXX=±0.5°																																																																																																																						
XX=±0.5																																																																																																																							
XXX=±1																																																																																																																							
SHEET OF		DATE			2025/5/29	SCALE	2 : 1	DRAWING NO.			A4																																																																																																												
6		5		4		3		2		1																																																																																																													



Item	P/N	Description	Qty.
	S.115.0062.2A	ASSY SQUEEGEE MAIN HOUSING TENNANT	
1	115.0069.0A	SQUEEGEE BOLT LARGE	2
2	115.0068.0A	SQUEEGEE BOLT MEDIUM	2
3	115.0067.0A	SQUEEGEE BOLT SMALL	2
4	115.0063.357C	SQUEEGEE FRONT HOUSING GREY P4	1
5	115.0065.2C	SQUEEGEE FRONT AIROFLEX T=2MM LINATEX MATERIAL	1
6	115.0095.0	CYLINDER ROUND HEAD CAP SCREW	2
7	115.0070.357C	SQUEEGEE BRACKET GREY P431C	1
8	115.0268.0	RUBBER WASHER SQUEEGEE PIN I-MOP LITE	1
9	115.0062.357C	SQUEEGEE MAIN HOUSING GREY P43	1
10	115.0066.2C	SQUEEGEE REAR T=2.5MM LINATEX MATERIAL	1
11	115.0071.0A	SQUEEGEE CASTOR BRACKET SHORT	2
12	115.0072.0A	SQUEEGEE CASTOR BRACKET LONG	1
13	115.0064.357D	SQUEEGEE REAR HOUSING GREY P431	1
14	04.0048.0	NUT M5 NYLON STAINLESS	3
15	00.0091.0	WASHER STAINLESS M5 5.1X12X1.0	3
16	115.0075.357A	QUEEGEE CASTOR GREY P431C	3
17	115.0076.0D	SQUEEGEE CASTOR AXIS	3
18	115.0073.8A	QUEEGEE FIXATION NUT YELLOW P122C	6

TOLERANCE UNSPECIFIED		REMARK:			SMT-FCT DONGGUAN THE FRIENDLY FAMILY 东莞硕能塑胶模具有限公司 ASSEMBLY AND MOULD OF CLEANING PRODUCTS				
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° XX=±1° .XXX=±0.5°	MATERIAL							
APPROVED	CHECKED	DESIGNED	REV.						
			Yang	UNIT	MM	PART NO.	K1.IMP36N.FCT.0	FRAME SIZE	
SHEET OF		DATE	2025/5/29	SCALE		DRAWING NO.	A3		