

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19






Item	P/N	Desciption	Qty
1	S.139.0091.1	TOP UNIT ASSEMBLY WITH FILTER	1
2	S.141.1079.2	ASSY FRESH WATER TANK + PRINT 4.5L 2 FILLING HOLES WHITE	1
3	S.139.0059.0A	MAIN SUCTION HOSE LENGTH 790MM WITH INTEGRATED COUPLING	1
4	S.141.1041.0	ASSEMBLY PLASTIC DECK I-MOP 46 MODULAR	1
5	P.141.0341.0	EZ CLICK SQUEEGEE I-MOP 46 ASSY LINATEX	1
6	S.72.0092.797/797Y	ASS BRUSH IMOP COMPLETE BLUE BRISTLE | BLUE LOCKER	2
7	S.141.1089.2	ASSY RECOVERY WATER TANK + PRINT 5.5L WHITE	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1:2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.139.0091.1	TOP UNIT ASSEMBLY WITH FILTER	
1	S.139.0718.357	PLASTIC HANDLE ASSEMBLY FOUR SWITCH (TWO SPEED)	1
2	139.0091.0	ALU EXTRUDED PROFILE	1
3	115.1151.0D	FLOAT HOUSING RUBBER BASE	1
4	115.0039.3	PAN HEAD OD=7MM SELFTAPPING SCREW ST3X20	3
5	S.115.1153.8	FLOAT BALL HOUSING WITH STAINLESS STEEL MESH AS	1
6	115.0103.8D	[MCH 211-145] (105)TANK HOLDER FIXATION YELLOW	2
7	115.0194.0	(MCH 041-102) [101] CLOSED RIVET 4X10	12
8	115.0099.0	[MCH 053-105] (101) NEODYMIUM MAGNET BLOCK 40X20X10MM	2
9	115.0104.8C	[MCH 211-146] (104)TANK HOLDER COVER YE	2
10	S.115.0246.2	ASSY HOSE CONNECTOR HOLDER BOTTOM	1
11	115.0196.2	EVA WASHER 15x15x1.5MM	1
12	115.0102.8D	[MCH 211-144] (105)HOSE CONNECTOR HOLDER FIXATION YELLOW	1
13	115.0100.0	[MCH 053-106] (101) NEODYMIUM MAGNET BLOCK 15X15X8MM	1
14	139.0003.0	ALLUMINIUM TUBE SEALING SLEEVE	1
15	139.0005.0	ALUMINUM PROFILE RUBBER SEAL	1
16	139.0071.0	NEGATIVE WIRE	1
17	72.0764.0	CABLE CONCENTRATOR IMOPXL BOM	1
18	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	6
19	139.0016.357	HOLDER WATERPUMP	1
20	139.0015.0	KHPP260 PUMP 12V	1
21	139.0109.1	HOSE CLAMP STEEL Ø8.5 WALL THICKNESS 1MM	4
22	R.106.2190.9	CUTTING L=0.065M SILICON TUBE 8X4.5MM	2
23	139.0011.357	WATER COUPING P431C	1
24	S.139.1310.357/797	VACUUM MOTOR ASSEMBLY L40 WITH FILTER	1
25	139.0014.357	MAINFRAME	1
26	139.0013.797	BUTTON BLUE	1
27	139.0010.0A	SPRING BUTTON WIRE DIAMETER 1.0MM	1
28	72.0240.2	HEXALOBULAR SOCKET COUNTERSUNK HEAD SELF-TAPPING SCREW ST3X10	1
29	139.0012.357	DRIVE MODULE WATER COUPLING	1
30	139.0004.0	GROMMET WATER CONNECTOR	2
31	139.0009.357	HOLDER WATER CONNECTOR	1
32	139.0093.357	LID TURBINE HOUSING	1
33	115.0111.0D	[MCH 211-203] (105)WATER CONNECTOR MALE RUBBER	1
34	115.0120.0	[MCH 011-102] (101) EJOT PT SCREW WN 5451 40X14	4
35	139.0110.0	WATER CONNECTOR MALE PIN	1
36	139.0083.0	WATER PUMP WIRE	1
37	139.0001.0	AIR DUCT SEALING PLUG	1
38	S.115.0396.357	MAIN PCB BOX ASSEMBLY WITH LINK	1
39	S.139.0036.357	ASSY PHONE HOLDER&RUBBISH BIN	1
40	S.139.0105.0	CABLE ASSY IN ALUMINIUM TUBE FOR I-MOP L40	1
41	115.0196.1	EVA WASHER 40x20x1.5MM	2
42	115.0096.67	O-RING 6X3 FKM	1
43	139.0124.0	WASHER OD11.5XT4	1
44	139.0248.0	18AWG GROUND WIRE M3 O-RING BLACK L=137.5	1
45	115.0037.1	MCH-013-109-101 CYLINDER ROUND HEAD CAP SCREW M3 x 8 SUS304	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.		PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/19	SCALE	1 : 6	DRAWING NO.		A3

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.139.0718.357	PLASTIC HANDLE ASSEMBLY FOUR SWITCH	
1	139.0034.0	LIGHT GUIDE HANDLE	1
2	139.0715.0B	PCB HANDLE FOUR SWITCH (TWO SPEED) WITH INSTANTANEOUS 150W | FIXED LEAN ANGLE| 6S DELAY	1
3	139.0718.357B	HANDLE LOWER PART	1
4	72.0775.0	COMPRESSION SPRING ID4.8xWD0.5xL21.5 STAINLESS STEEL	4
5	S.72.0722.0	ASSY POWER SWITCH CONTROL UNIT	1
6	72.0240.3	HEXALOBULAR SOCKET COUNTERSUNK HEAD SELF-TAPPING SCREW ST3X16	4
7	139.0716.797	OPERATING LEVER	2
8	115.0194.0	(MCH 041-102) [101] CLOSED RIVET 4X10	1
9	139.0726.357B	HANDLE COVER	6
10	115.1138.0B	[MCH 211-164] (103) CONTROL UNIT KEY PAD	1
11	115.0134.2B	[MCH 211-140] (103) CONTROL UNIT KEY PAD FRAME WHITE	1
12	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	2
13	139.0035.0	LED HANDLE	1
14	139.0714.357A	HANDLE UPPER PART	1
15	72.0723.0	I-MOP L46 COMMUNICATION CABLE 4P 2.0 WITH LOCK L=200MM	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 3	DRAWING NO.		A4

FCT
FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.139.0036.357	ASSY PHONE HOLDER&RUBBISH BIN	
1	139.0036.357	MOBILE PHONE HOLDER	1
2	139.0037.357	RUBBISH BIN	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.115.1153.8	FLOAT BALL HOUSING WITH STAINLESS STEEL MESH ASSY	
1	115.1154.8	BLOCKING BALL HOUSING GREY WITH STAINLESS STEEL MESH 100	1
2	115.0153.2	[MCH 053-108-101] WHITE HOLLOW BALL 38	1
3	115.1152.8	TOP UNIT BLOCKING BALL HOUSING COVE	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 1	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19






Item	P/N	Desciption	Qty
	S.115.0246.2	ASSY HOSE CONNECTOR HOLDER BOTTOM	
1	115.1131.0B	HOSE CONNECTOR HOLDER SEAL	1
2	115.0246.2	(MCH 211-312-101) HOSE CONNECTOR HOLDER TOP	1
3	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	6
4	115.0132.0B	[MCH 211-173] (103) HOSE CONNECTOR HOLDER PLATE	1
5	115.0247.2	(MCH 211-309-101) HOSE CONNECTOR HOLDER BOTTOM	1


5

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.139.1310.357/797	VACUUM MOTOR ASSEMBLY L40 WITH FILTER	
1	139.0006.0	VACUUM MOTOR SEALING GASKET TOP WITH FILTER	1
2	139.0007.0	SEALING WITH CABLE RECEPTION	1
3	139.0310.0	BRUSHLESS MOTOR 13-30V DC 60W/80W/100W GLUE DIPPING 36/40	1
4	139.0106.0	TURBINE SEAL TOP i-MOP 40 WITH F	1
5	139.0018.357	TURBINE HOLDER WITH FILTER	1
6	139.1108.0	CABLE SEAL TURBINE i-MOP 40 WITH FILTER 70 SHORE A	1
7	139.1126.357A	MAIN COVER TURBINE HOUSING WITH FILTER	1
8	72.0641.797	HEPA FILTER BLUE H12 EN779-1993 OD73xT22	1
9	139.0019.8A	FILTERHOLDER YELLOW P122C	1
10	139.0107.0	TURBINE SEAL BOTTOM i-MOP 40 WITH FILTER	1
11	115.0011.4	EJOT PT SCREW WN 5451 30X14 STAINLESS STEEL	4

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	2 : 1	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19









Item	P/N	Desciption	Qty
	S.115.0396.357	MAIN PCB BOX ASSEMBLY WITH LINK	
1	72.0240.2	HEXALOBULAR SOCKET COUNTERSUNK HEAD SELFTAPPINGSCREW ST3X10	4
2	72.0491.0	TOOLSENSE Lipo BATTERY 3.7V,1200 mAh WIRE LENGTH 20~21CM 2P 1.25	1
3	72.0490.0B	TOOLSENSE PCB (Version:5)	1
4	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	3
5	115.0403.996	ELECTRIC BOX LIGHT GUIDING BLOCK	1
6	115.0011.3	EJOT PT SCREW WN 5451 30X10 ANTI-THEFT	4
7	115.0398.357A	MAIN PCB BOX COVER LASER MARKING	1
8	115.0275.0	[MCH-011-105](101) EJOT PT SCREW WN 5451 25X6	8
9	115.0399.0	USB PORT PLUG	1
10	S.72.0619.0	USB CHARGING PCB CABLE ASSY OUTPUT DC5V	1
11	115.0397.357	MAIN PCB BOX TOOLSENSE TRAY	1
12	72.0711.1	MAIN PCB IMOP L36/40	1
13	115.0396.357	MAIN PCB BOX HOUSING	1
14	72.0769.0	WIRING HARNESS I-LINK&USB CHARGING FOR I-MOP L46	1
15	115.0318.0	USB phone charging cable 3 in 1	1
16	72.0492.0	TOOLSENSE ANTENNA WIRE LENGTH 10CM	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4


FCT
FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19










Item	P/N	Desciption	Qty
	S.141.1041.0	ASSEMBLY PLASTIC DECK I-MOP 46 MODULAR	
1	S.139.1020.357	ASSY JOINT PART L40 PLASTIC DECK	1
2	S.139.1072.357	ASSEMBLY DRIVE SUPPORT PLASTIC DECK L40	1
3	141.1041.0	PLASTIC DECK BLACK I-MOP 46 MODULAR	1
4	139.1032.0	FRONT CHASSIS AXIS PLASTICDECK	2
5	139.0066.0	3" CASTOR GREY HUB+TRANSPARENT RIM+FLANGED BEARING	2
6	67.0181.0	NYLON INSERT NUT M6 SS	2
7	139.0123.0	HEXALOBULAR SOCKET COUNTERSUNK HEAD SCREW M5X14 WITH THREADLOCKER	3
8	139.0043.2	CENTER CARRIER BASE FRAME	1
9	139.0109.1	HOSE CLAMP STEEL Ø8.5 WALL THICKNESS 1MM	5
10	115.0120.0	[MCH 011-102] (101) EJOT PT SCREW WN 5451 40X14	8
11	139.0062.357	WATER PIPE T-COUPLING	1
12	139.0057.8	MOTOR MOUNT OUTER	2
13	139.0089.0A	MOTOR SWIVEL AXIS SHORT WITH FLANGE	2
14	S.141.0721.0	ASSEMBLY DRIVE MOTOR RIGHT i-MOP 46	1
15	139.0088.0A	MOTOR SWIVEL AXIS LONG WITH FLANGE	2
16	139.0099.2	OUTER WHEEL	2
17	115.0275.1	EJOT SELF-TAPPING SCREW TOOTH PITCH 0.98 2.5X8	7
18	141.0069.0	SPLASH GUARD i-MOP 46 MODULAR RIGHT	1
19	141.0045.996	LIGHT GUIDE SIDE i-MOP 46 MODULAR	2
20	141.0044.996	LIGHT GUIDE FRONT BUMPER i-MOP 46 MODULAR	1
21	141.0047.2	FRONT BUMPER i-MOP 46 MODULAR	1
22	141.0050.2	BUMPER FRONT SUPPORT i-MOP 46 MODULAR	1
23	139.0097.0	MOTOR UNIT SPLASH GUARD	2
24	139.0098.2	MOTOR UNIT SPLASH GUARD HOLDER	2
25	139.0123.0	HEXALOBULAR SOCKET COUNTERSUNK HEAD SCREW M5X14 WITH THREADLOCKER	13
26	141.0068.0	SPLASH GUARD i-MOP 46 MODULAR LEFT	1
27	72.0396.2	ROUND HEAD Y RECESS TAPPIHNG SCREW ST2.2X8	2
28	141.0467.2099.01	METAL PLATE IMOP 46 PRO THICKNESS:0.5MM ELECTROPHORESIS [MODULAR]	1
29	S.115.1161.0/2	FLOOR UNIT HANDLE ASSY EZ CLICK SQUEEGEE I-MOP 46	1
30	141.0053.0	LED STRIP BUMPERCURVES 46 MODULAR	1
31	141.0055.357	BASE FRAME BOTTOM PART i-MOP 46 MODULAR	1
32	139.0063.0	SPRING 0C0600-0491000S	2
33	S.139.0028.357	ASSY SPRING CONTACT PCB L40	1
34	139.0095.0A	WATER NOZZLE INSERT HEXAGONAL HEAD 7MM	2
35	115.0042.0C	COMPRESSION SPRING WIRE DIAMETER 1.1MM	2
36	139.0094.357	WATER OUTLET NOZZLE	2
37	S.141.0720.0	ASSEMBLY DRIVE MOTOR LEFT i-MOP 46	1
38	141.0096.357	MOTOR MOUNT INNER	1
39	R.106.2190.3	CUTTING L=0.18M SILICON TUBE 8X4.5MM	1
40	139.0065.0	HOUSING RELAY LOWER PART	1
41	139.0056.797B	BATTERY CLIP BLUE	1
42	139.0128.0	EJOT PT SCREW WN 5451 4.0X12 STAINLESS STEEL	6
43	139.0131.0	COMPRESSION SPRING ID7*OD9*L40	1
44	72.0765.0C	RELAY PCB WITH LED SOCKET AND 3-POSITION BATTERY TERMINAL BLOCK [INCREASED INDUCED CURRENT]	1
45	139.0064.0	HOUSING RELAY UPPER PART	1
46	139.0079.8	SUCTION HOSE CLIP YELLOW	1
47	S.139.0060.8	ASSEMBLY MAGGETIC DECK COVER YELLOW	1
48	S.139.0081.357	ASSEMBLY DRIVE SUPPORT L40	1
49	S.139.0090.1	CABLE IN HINGE I-MOP 40 WITH 3P 2.3 PLUG	1
50	139.0054.0A	CABLE 16AWG WITH 2P 6.7 RECEPTACLE RELAY PCB TO DRIVE MOTOR	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.		PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/19	SCALE		DRAWING NO.		A3

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19





Item	P/N	Desciption	Qty
	S.139.1020.357	ASSY JOINT PART L40 PLASTIC DECK	
1	139.0021.357	SPACER CONTACTS	1
2	139.0022.0	PCB JOINT	1
3	S.139.0090.0B	CABLE IN HINGE I-MOP 40 WITH STAINLESS STEEL SPRING SLEEVE&3P 2.3 RECEPTACLE	1
4	139.0020.357	JOINT UPPER PART	1
5	139.0026.357	STRAIN RELIEF JOINT UPPER PART	1
6	115.0184.0	[MCH 011-103-101] EJOT PT SCREW WN 5452 30X16	2
7	139.0025.357	COVER JOINT UPPER PART	1
8	139.0118.0	HEXALOBULAR SOCKET COUNTERSUNK HEAD TAPPING SCREW ST3.5X10	3
9	04.0048.0	04.0048.0 • NUT M5 NYLON STAINLESS MS0321	1
10	S.139.1052.357	ASSY JOINT LOWER PART L40 PLASTIC DECK	1
11	139.0008.0	TOP UNIT ADAPTOR SEALING PLUG	1
12	139.0024.357	PLUG-IN VALVE	1
13	139.0109.1	HOSE CLAMP STEEL Ø8.5 WALL THICKNESS 1MM	1
14	139.0027.0B	TOP AXIS JOINT	1
15	R.106.2190.8	CUTTING L=0.3M SILICON TUBE 8X4.5MM	1
16	115.0461.0	TENSION SPRING ID8.4xOD10MM	1
17	00.0091.0	WASHER STAINLESS M5 5.1X12X1.0	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.139.1052.357	ASSY JOINT LOWER PART L40 PLASTIC DECK	
1	139.0031.357	RIGHT_COVER_JOINT	1
2	139.1033.0	SHOULDER BOLT PLASTICDECK	2
3	115.0053.0A	(MCH 211-210] [102] MAIN HINGE BEARING BUSH	2
4	139.0052.357	joint lower part	1
5	139.0028.0	PLASTIC BEARING HINGE L40	2
6	139.0030.357	LEFT_COVER_JOINT	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.139.1072.357	ASSEMBLY DRIVE SUPPORT PLASTIC DECK L40	
1	139.1072.357	COUPLING ROD PLASTICDECK	1
2	139.0075.0	SPRING 0T32670	2
3	00.0106.2	WASHER 12X6.2X1MM STAINLESS STEEL	2
4	72.0394.0	IMOP PEDESTAL SHAFT PIN	1
5	24.0022.0	PLASTIC BUSHING	1
6	24.0021.0	WASHER OF SHAFT SUPPORT BRACKET	1
7	139.0076.0	Misumi_HCCG6_46	1
8	139.0073.0	AXIS CUSHIONING 2	1
9	139.0074.0	AXIS CUSHIONING 2	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.139.0081.357	ASSEMBLY DRIVE SUPPORT L40	
1	139.0078.797	COVER SLIDE LEVER BLUE P312C	1
2	72.0053.0	MAGNET TOP UNIT SMALL 20X20X10MM [MCH 1416-1001-2172]	1
3	139.0077.797	SLIDE LEVER P431C	1
4	139.0118.0	HEXALOBULAR SOCKET COUNTERSUNK HEAD TAPPING SCREW ST3.5X10	3
5	139.0080.0	SPRING 0C0455-0391250M	1
6	139.0081.357	SLIDE LEVER HOUSING P431C	1
7	139.0119.0A	HEXALOBULAR SOCKET COUNTERSUNK HEAD SCREW M5X45 THREAD LENGTH 7MM	1
8	139.0082.797	SUPPORT LIFT BUTTON COVER BLUE P312C	1
9	139.0084.0	spring 0C0210-0260500M	1
10	72.0240.2	HEXALOBULAR SOCKET COUNTERSUNK HEAD SELFTAPPINGSCREW ST3X10	2
11	139.0085.0	SUPPORT LEVER PLATE	1
12	139.0121.0	KNURLED PIN DRIVE SUPPORT Ø3x43MM	1
13	115.0196.2	EVA WASHER 15x15x1.5MM	2

TOLERANCE UNSPECIFIED		REMARK:								
LINE	ANGLE									
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL								
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE	
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4	

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.141.0720.0	ASSEMBLY DRIVE MOTOR LEFT i-MOP 46	
1	139.0120.0	EJOT PT SCREW WN 5451 4.0X8	5
2	139.0038.0	MOTOR COVER UPPER PART	1
3	139.0040.0	MOTOR RUBBER COVER TOP PART	1
4	72.0720.0A	BRUSHLESS MOTOR HELICAL GEARS LEFT WITH 2P MALE CONNECTOR	1
5	139.0042.0A	MOTOR RUBBER COVER BOTTOM PART	1
6	72.0004.0	FELT BRUSH MOTOR WITH 3M9448 [MCH 1416-1001-2183]	1
7	72.0005.357/C	DRIVING WHEEL TOP WITH TREAT INSERT (C)	1
8	139.0039.0A	MOTOR COVER LOWER PART	1
9	S.141.0636.357	CLICK-IN BRUSH DRIVING WHEEL ASSY LEFT i-MOP 46	1
10	72.1025.1	HEX HEAD OSD=13 BOLT M5X13 STAINLESS STEEL LEFT-HAND THREAD	1
11	72.0450.1	SCREW WN 5451 5.0X24 EJOT DELTA PT	3
12	72.0638.797	CLICK-IN BRUSH DRIVING WHEEL COVER BLUE P312C	1
13	115.0172.0	[MCH-013-107](101) SCREW M6X14	2
14	139.0087.8	CABLE STRAIN RELIEF	1
15	72.0057.0	[MCH011-101-101] SCREW WN 5451 25X10 EJOT DELTA PT	2

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.141.0637.357	CLICK-IN BRUSH DRIVING WHEEL ASSY RIGHT i-MOP 46	1
1	141.0637.357	CLICK-IN BRUSH DRIVING WHEEL RIGHT i-MOP 46 MODULAR	1
2	115.0330.357	BULB-ENDED SLIDER BRUSH LOCKER	3
3	115.0331.0	COMPRESSION SPRING OD3.7 x ID2.7 x L12	3
4	115.0329.357	SLIDER HOUSING BRUSH LOCKER	3

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.141.0721.0	ASSEMBLY DRIVE MOTOR LEFT i-MOP 46	
1	139.0120.0	EJOT PT SCREW WN 5451 4.0X8	5
2	139.0038.0	MOTOR COVER UPPER PART	1
3	139.0040.0	MOTOR RUBBER COVER TOP PART	1
4	72.0721.0A	BRUSHLESS MOTOR HELICAL GEARS RIGHT WITH 2P MALE CONNECTOR	1
5	139.0042.0A	MOTOR RUBBER COVER BOTTOM PART	1
6	72.0004.0	FELT BRUSH MOTOR WITH 3M9448 [MCH 1416-1001-2183]	1
7	72.0005.357/C	DRIVING WHEEL TOP WITH TREAT INSERT (C)	1
8	139.0039.0A	MOTOR COVER LOWER PART	1
9	S.141.0637.357	CLICK-IN BRUSH DRIVING WHEEL ASSY RIGHT i-MOP 46	1
10	72.1025.0	HEX HEAD OSD=13 BOLT M5X13 STAINLESS STEEL	1
11	72.0450.1	SCREW WN 5451 5.0X24 EJOT DELTA PT	3
12	72.0638.797	CLICK-IN BRUSH DRIVING WHEEL COVER BLUE P312C	1
13	115.0172.0	[MCH-013-107](101) SCREW M6X14	2
14	139.0087.8	CABLE STRAIN RELIEF	1
15	72.0057.0	[MCH011-101-101] SCREW WN 5451 25X10 EJOT DELTA PT	2

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.141.0636.357	CLICK-IN BRUSH DRIVING WHEEL ASSY LEFT i-MOP 46	1
1	141.0636.357	CLICK-IN BRUSH DRIVING WHEEL LEFT i-MOP 46 MODULAR	1
2	115.0330.357	BULB-ENDED SLIDER BRUSH LOCKER	3
3	115.0331.0	COMPRESSION SPRING OD3.7 x ID2.7 x L12	3
4	115.0329.357	SLIDER HOUSING BRUSH LOCKER	3

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Description	Qty.
	S.115.1161.0/2	FLOOR UNIT HANDLE ASSY EZ CLICK SQUEEGEE I-MOP 46	
1	115.0184.1	EJOT PT SCREW WN 5452 30X25	2
2	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30	4
3	141.1044.0	BALL PIN ROD I-MOP 46 MODULAR	2
4	115.0012.1	CYLINDER ROUND CAP TORX SCREW M5X20 STAINLESS STEEL	2
5	115.1160.0	FLOOR UNIT HANDLE GRIP TOP BLACK\	1
6	04.0048.0	NUT M5 NYLON STAINLESS	2
7	115.1161.0	FLOOR UNIT HANDLE GRIP BOTTOM BL	1
8	115.0376.0	LIFTING HANDLE BAFFLE BLACK	1
9	115.0178.0A	(013-116) [101] SOCKET HEAD CAP SCREW TORX M5 x 65	2
10	00.0091.0	WASHER STAINLESS M5 5.1X12X1.0	2

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.139.0060.8	ASSEMBLY MAGGETIC DECK COVER	
1	139.0058.0	MAGNET FRAME COVER	1
2	139.0059.8	MAGNET TOP COVER YELLOW	1
3	139.0061.0	MAGNET PARKING POSITION	1
4	139.0060.8	MAGNET BOTTOM COVER YELLO	1
5	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 30X10	2

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19







Item	P/N	Desciption	Qty
	S.139.0028.357	ASSY SPRING CONTACT PCB L40	
1	115.0029.357B	(MCH 211-217 [103]SPRING CONTACT FRAME GREY P431C (3.8X2.5X0.3CM)	1
2	S.139.0104.0	ASSY SPRING CONTACT PCB L40	1
3	115.0028.357C	(MCH 211-216 [104] SPRING CONTACT HOUSING GREY P431C	1
4	115.0011.0	(MCH 011-101) [101] EJOT PT SCREW WN 5451 3	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 1	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19






Item	P/N	Desciption	Qty
	S.141.1089.2	ASSY RECOVERY WATER TANK + PRINT 5.5L WHITE	1
1	54.0029.0	BLIND REVIT NAIL 4 X 15 MM	1
2	72.0254.0	SLEEVE CAP HOLDER	1
3	72.0252.1	CAP HOLDER CANVAS FILLED RUBBER	1
4	89.0469.2099.25A	WARNING PLATE ON DIRTY TANK ROUND STAINLESS PLATE	1
5	72.0264.357	CAP WITHOUT HOLE Color: Grey [P431C]	1
6	72.0265.0	SEALING GASKET CAP DIRTY TANK	1
7	72.0271.0	PLASTIC WASHER 9x4x1mm	1
8	141.1089.2	RECOVERY WATER TANK + PRINT 5.5L	1
9	115.0194.0	(MCH 041-102) [101] CLOSED RIVET 4X10	2
10	115.0080.0C	[MCH 211-190] (104) TANK HOLDER PLATE	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19






Item	P/N	Desciption	Qty
	S.141.1079.2	ASSY FRESH WATER TANK + PRINT 4.5L 2 FILLING HOLES WHITE	1
1	S.115.1083.357A	[MCH-211-017-102]ASSY WATER CONNECTOR FEMALE FILTE	1
2	141.0080.0	TANK HOLDER STEEL PLATE	1
3	54.0029.0	BLIND REVIT NAIL 4 X 15 MM	2
4	141.1079.2	FRESH WATER TANK + PRINT 4.5L 2 FILLING HOLES	1
5	72.0251.797	CAP WITH HOLE, Kleur: Blue .797 (P312C)	1
6	72.0252.1	CAP HOLDER CANVAS FILLED RUBBER	1
7	72.0254.1	SLEEVE CAP HOLDER CLEAN TANK	1
8	72.1486.0	FILLING HOLE ADAPTOR FIXING PLATE 6.5L TANK	2
9	115.0013.1	HEXALOBULAR SOCKET COUNTERSUNK HEAD SCREW M4X16 WITH THREADLOCKER	4
10	72.1489.357	SOLUTION TANK LIFE HANDLE BIG	1
11	72.0483.67	O-RING ID55XWD3 FKM	1
12	72.1484.357	CAP ADAPTOR SLUTION TANK 6.5 LITRE	1
13	72.0482.0	FILLING CAP HOLDER CANVAS FILLED RUBBER	1
14	72.0271.0	PLASTIC WASHER 9x4x1mm	1
15	72.1265.0	SEALING GASKET FOR FILLING CAP	1
16	141.1095.797	6.5L TANK FILLING CAP	1
17	72.0254.0	SLEEVE CAP HOLDER	1
18	54.0029.0	BLIND REVIT NAIL 4 X 15 MM	1
19	72.0250.1	ADAPTOR OF FILLING HOSE OUTSIDE	1
20	72.0250.0	FILLING HOSE FOR IMOP 30CM	1
21	72.0250.2A	ADAPTOR OF FILLING HOSE INSIDE WITH BIG CHAMFER	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.		PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/19	SCALE		DRAWING NO.		A3

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19





Item	P/N	Description	Qty.
	S.115.1083.357A	[MCH-211-017-102]ASSY WATER CONNECTOR FEMALE FILTE	
1	115.0086.2D	MCH 211-193] (105)WATER CONNECTOR FEMALE CAP WHITE	1
2	115.1088.0C	WATER CONNECTOR FEMALE RUBBE	1
3	115.0210.67	O-RING 7X2.5 FKM	1
4	115.0087.0B	WATER CONNECTOR FEMALE VALVE	1
5	115.0085.0	COMPRESSION SPRING 7X9X28.5	1
6	115.0083.357D	[MCH 211-028] (105) WATER CONNECTOR FEMALE FILTER	1


TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	2 : 1	DRAWING NO.		A4


FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19










Item	P/N	Desciption	Qty
	S.72.0092.797/797Y	ASS BRUSH IMOP COMPLETE BLUE BRISTLE | BLUE LOCKER	
1	72.0026.0	SCREW WN 5451 50X14 EJOT DELTA PT (MCH 1416-1001-2004)	3
2	72.0093.797	BRUSH LOCKER BLUE (P312C)	1
3	S.72.0091.797Y	ASSY BRUSH DISC BLUE [P312C]	1

TOLERANCE UNSPECIFIED		REMARK:							
LINE	ANGLE								
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL							
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK	
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0	FRAME SIZE
SHEET OF	DATE			2026/08/17	SCALE	1 : 2	DRAWING NO.		A4

FUTURE CLEANING TECHNOLOGIES

REV.	DESCRIPTION	REVISED BY	DATE
-	First release	Yang	2026/08/19



Item	P/N	Description	Qty.
	P.141.0341.0	EZ CLICK SQUEEGEE I-MOP 46 ASSY LINATEX	
1	72.0660.0	COMPRESSION SPRING OD6.3xWD0.8xL15	2
2	72.0661.0	COUNTER SUNK HEAD HEXALOBULAR SOCKET SCREW M3x20	2
3	115.0378.8	PUSHING KNOB GASKET LITE	2
4	141.0340.0	SQUEEGEE MAIN FRAME i-MOP 46 MODULAR	1
5	72.0611.8	SQUEEGEE CASTOR BRACKET CLIP	3
6	115.0331.0	COMPRESSION SPRING OD3.7 x ID2.7 x L12	3
7	115.0349.8	CASTOR HEIGHT ADJUSTMENT BRACKET	2
8	115.0345.357A	SQUEEGEE STATIC CASTOR BRACKET I-MOP LITE Grey (P431C)	2
9	115.0037.1	MCH-013-109-101 CYLINDER ROUND HEAD CAP SCREW M3 x 8 SUS304	1
10	115.0208.0	PA WASHER 3X8X1MM	1
11	141.0346.357	SQUEEGEE SWIVEL CASTOR BRACKET i-MOP 46 MODULAR	1
12	115.0348.0	BALL BEARING SS 699 2RS 9x20x6	1
13	115.0347.357A	SQUEEGEE SWIVEL CASTOR HOUSING I-MOP LITE Grey (P431C)	1
14	115.0386.0	CASTOR SHAFT SWIVEL OD12xL43.8	1
15	115.0385.32	STATIC CASTOR SPACER ID8.1xOD12.5xT5 (Pantone Cool Grey 8C)	2
16	85.0050.4	ALIGNMENT PIN STAINLESS STEEL Ø1.5x25MM	1
17	115.0184.2	EJOT PT SCREW WN 5452 30X14	4
18	141.0656.2	SQUEEGEE RUBBER L46 REAR LINATEX RED L=562MM STANDARD	1
19	141.0341.0	SQUEEGEE BLADE HOLDER i-MOP 46 MODULAR	1
20	141.0655.2	SQUEEGEE RUBBER L46 FRONT LINATEX RED AIROFLEX L=525MM STANDARD	1
21	72.0607.0	STATIC CASTOR SPACER ID8.1xOD12.5xT6.6	4
22	115.0360.0	CASTOR SHAFT OD8xL32.4	2
23	72.0238.32	SQEEGEE CASTOR GREY DIA.8MM	4
24	85.0050.3	ALIGNMENT PIN STAINLESS STEEL Ø1.5x18MM	2
25	115.0343.357	SQUEEGEE PIN HOLDER I-MOP LITE Grey (P431C)	2
26	115.0013.0	(MCH 013-101) [101] COUNTER SUNK BOLT M4X12	4
27	139.0070.357	UNIVERSAL COLLAR	1
28	20.0032.0	NUT M3 NYLON STAINLESS	2
29	115.0344.8	PUSHING KNOB BASE LITE	2
30	72.0396.0	ROUND HEAD CROSS TAPPIHNG SCREW ST2.2X8	4
31	115.0377.8	PUSHING KNOB BUTTON LITE	2
32	72.0659.8	PUSHING KNOB BUSHING	2

TOLERANCE UNSPECIFIED		REMARK:						
LINE	ANGLE							
.XXX=±0.005 .XX=±0.05 .X=±0.1 .=±0.2 XX=±0.5 XXX=±1	X=±2° .X=±1.5° .XX=±1° .XXX=±0.5°	MATERIAL						
		APPROVED	CHECKED	DESIGNED	REV.	-	PART NAME	IMP46 MODULAR PRO MULTI PURPOSE VAC EUR | W/O CHARGER & BATTERY | W/T I-LINK
				Yang	UNIT	MM	PART NO.	K.1.IMP46U.FCT.0
SHEET OF	DATE			2026/08/19	SCALE	1:1	DRAWING NO.	

FUTURE CLEANING TECHNOLOGIES

FRAME SIZE A3